## CANADIAN JOURNAL OF ZOOLOGY

## JOURNAL CANADIEN DE ZOOLOGIE

## Vol. 65, 1987

## Author Index / Index des auteurs

Adamczewski, J.Z., Gates, C.C., and Hudson, R.J. Fat distribution and indices of carcass composition in Coats Island caribou (Rangifer tarandus groenlandicus), 368

Adamczewski, J.Z., Gates, C.C., Hudson, R.J., and Price, M.A. Seasonal changes in body composition of mature female caribou and calves (Rangifer tarandus groenlandicus) on an arctic island with limited winter resources, 1149

Adamson, M.L. Phylogenetic analysis of the higher classification of the Nematoda, 1478

Adamson, M.L. Rhigonematid (Rhigonematida; Nematoda) parasites of Scaphiostreptus sevchellarum (Spirostreptida; Diplopoda) in the Seychelles with comments on ovejector structure in Rhigonema Cobb, 1898, 1889

Adamson, M.L. Oxyuridan (Nematoda) parasites of Scaphiostreptus seychellarum with comments on the families Pulchrocephalidae Kloss, 1959 and Travassosinematidae Rao, 1958, 2747

Adamson, M.L. Nematode parasites of Orthoporus americanus (Diplopoda; Spirobolida) from Paraguay, 3011

Adamson, M.L., and van Waerebeke, D. Indiana roselyneae n.sp. (Oxyurida; Nematoda) from Madagascan Gryllotalpoidea (Orthoptera; Insecta) with comments on the structure of the cephalic extremity of Indiana, 2755

Adamson, M.L., Deets, G.B., and Benz, G.W. Description of male and redescription of female *Phlyctainophora squali* Mudry and Dailey, 1969 (Nematoda; Dracunculoidea) from elasmobranchs, 3006

Adler, G.H. Influence of habitat structure on demography of two rodent species in eastern Massachusetts, 903

Adler, G.H., Wilson, M.L., and DeRosa, M.J. Effects of adults on survival and recruitment of Peromyscus leucopus, 2519

Adler, G.H. see Tamarin, R.H., 2039

Aguilar, A., and Lockyer, C.H. Growth, physical maturity, and mortality of fin whales (Balaenoptera physalus) inhabiting the temperate waters of the northeast Atlantic, 253

Ahmedbhai, N., and Cullen, A.P. Daily and diurnal variation of corneal thickness in pigmented rabbit, 657

Akuzawa, M., Mochizuki, M., and Yasuda, N. Hematological and parasitological study of the Iriomote cat (Prionailurus iriomotensis), 946

Alcock, J. The effects of experimental manipulation of resources on the behavior of two calopterygid damselflies that exhibit resource-defence polygyny, 2475

Al-Hajj, H., Janakat, S., and Mahmoud, F. Electron microscopic study of sperm head differentiation in the lizard Agama stellio, 2959

Alikhan, M.A., and Naich, M. Changes in counts of haemocytes and in their physicochemical properties during the moult cycle in *Porcellio spinicornis* Say (Porcellionidae, Isopoda), 1685

Alisauskas, R.T., and Ankney, C.D. Age-related variation in the nutrient reserves of breeding American Coots (Fulica americana), 2417 Allen, M.E. see Rumpler, W.V., 204

Almeida-Val, V.M.F. de see Monteiro, P.J.C., 1805

Anctil, M. see De Waele, J.-P., 2458

Andersen, K., Ching, H.L., and Vik, R. A review of freshwater species of Diphyllobothrium with redescriptions and the distribution of D. dendriticum (Nitzsch, 1824) and D. ditremum (Creplin, 1825) from North America, 2216

Anderson, R.C. see Bartlett, C.M., 1100

Anderson, R.C. see Wong, P.L., 1569

Anderson, R.C. see Vanderburgh, D.J., 1650

Anderson, R.C. see Vanderburgh, D.J., 1662

Anderson, R.C. see Vanderburgh, D.J., 1666

Anderson, R.C. see Wong, P.L., 2524

Anderson, R.C. see Wong, P.L., 2760

Anderson, R.C. see Bartlett, C.M., 2799

Anderson, R.C. see Bartlett, C.M., 2803

Anderson, R.C. see Bartlett, C.M., 2813

Angerbjörn, A., and Pehrson, A. Factors influencing winter food choice by mountain hares (Lepus timidus L.) on Swedish coastal islands, 2163

Ankney, C.D. see Muma, K.E., 605

Ankney, C.D. see Edmunds, S.R., 871

Ankney, C.D. see Alisauskas, R.T., 2417

Ankney, C.D. see Forbes, M.R.L., 2872

Antrim, L.D. see Calambokidis, J., 1391

Arai, H.P. see Dixon, B.R., 2471

Arnbom, T. see Whitehead, H., 913

Arnold, T.W., and Fritzell, E.K. Food habits of prairie mink during the waterfowl breeding season, 2322

Athias-Binche, F. Signification adaptative des différents types de développements postembryonnaires chez les Gamasides (Acariens : Anactinotriches), 1299

Azcoitia, I., Fernández, B., and Fernandez, A. The meningeal arrangement of the avian lumbosacral spinal cord, 920

Azevedo, C. see Sousa, M., 2607

Bailey, E.D. see Baker, J.A., 1010

Bailey, E.D. see Baker, J.A., 1016

Bailey, E.D. see Baker, J.A., 1724

Bailey, R.E., and Margolis, L. Comparison of parasite fauna of juvenile sockeye salmon (Oncorhynchus nerka) from southern British Columbian and Washington State lakes, 420

Bailey, R.E. see Bakke, T.A., 1703

Baker, C.S., and Herman, L.M. Alternative population estimates of humpback whales (Megaptera novaeangliae) in Hawaiian waters, 2818

Baker, D.L., and Hobbs, N.T. Strategies of digestion: digestive efficiency and retention time of forage diets in montane ungulates, 1978

Baker, J.A., and Bailey, E.D. Sources of phenotypic variation in the separation call of Northern Bobwhite (Colinus virginianus), 1010

Baker, J.A., and Bailey, E.D. Ontogeny of the separation call in Northern Bobwhite (Colinus virginianus), 1016

Baker, J.A., and Bailey, E.D. Auditory recognition of covey mates from separation calls in Northern Bobwhite (Colinus virginianus), 1724

Baker, M.R. see Greenwood, S.J., 2589

Baker, R.L. see Dixon, S.M., 2276

Bakke, T.A., and Bailey, R.E. Phyllodistomum umblae (Fabricius) (Digenea, Gorgoderidae) from British Columbia salmonids: a description based on light and scanning electron microscopy, 1703

Ballantyne, J.S., Moyes, C.D., and Moon, T.W. Compatible and counteracting solutes and the evolution of ion and osmoregulation in fishes, 1883

Balon, E.K. see Veenstra, R.S., 1286

Banchetti, R. see Riggio, D.C., 847

Bandoni, S.M., and Brooks, D.R. Revision and phylogenetic analysis of the Amphilinidea Poche, 1922 (Platyhelminthes: Cercomeromeroma), 1110

Bandoni, S.M., and Brooks, D.R. Revision and phylogenetic analysis of the Gyrocotylidea Poche, 1926 (Platyhelminthes: Cercomeromorpha), 2369

Barclay, R.M.R. see von Frenckell, B., 219

Barnard, P., MacWhirter, B., Simmons, R., Hansen, G.L., and Smith, P.C. Timing of breeding and the seasonal importance of passerine prey to northern harriers (*Circus cyaneus*), 1942

Barnard, P. see Simmons, R., 2324

Barnes, B.M., Licht, P., and Zucker, I. Temperature dependence of *in vitro* androgen production in testes from hibernating ground squirrels, Spermophilus lateralis, 3020

Barnes, G.G., and Thomas, V.G. Digestive organ morphology, diet, and guild structure of North American Anatidae, 1812

Baron, G. see Dulude, A.-M., 1535

Baron, G. see Robitaille, J.-F., 2864

Barrett, F.M. Characterization of phenoloxidases from larval cuticle of Sarcophaga bullata and a comparison with cuticular enzymes from other species, 1100

Bartlett, C.M., and Anderson, R.C. Lemdana wernaarti n.sp. and other filarioid nematodes from Bubo virginianus and Asio otus (Strigiformes) in Ontario, Canada, with a revision of Lemdana and a key to avian filarioid genera, 1100

Bartlett, C.M., and Anderson, R.C. Chandlerella bushi n.sp. and Splendidofilaria caperata Hibler, 1964 (Nematoda: Filarioidea) from Fulica americana (Gruiformes: Rallidae) in Manitoba, Canada, 2799

Bartlett, C.M., and Anderson, R.C. Pelecitus fulicaeatrae (Nematoda: Filarioidea) of coots (Gruiformes) and grebes (Podicipediformes): skin-inhabiting microfilariae and development in Mallophaga, 2803

Bartlett, C.M., and Anderson, R.C. Additional comments on species of Pelecitus (Nematoda: Filarioidea) from birds, 2813

Barton, D.R. see Martin, I.D., 2612

Bartosiewicz, L. Sexual dimorphism in the cranial development of Scandinavian moose (Alces alces (L.) alces), 747

Bartsch, E. Agaue obscura (Acari: Halacaridae) n.sp., a new circumpolar Anta ctic mite, 1343

Batt, B.D.J. see Wayland, M., 1860

Baur, B. Effects of early feeding experience and age on the cannibalistic pr pensity of the land snail Arianta arbustorum, 3068

Beacham, T.D., and Murray, C.B. Effects of transferring pink (Once nynchus gorbuscha) and chum (Oncorhychus keta) salmon embryos at different developmental stages to a low incubation temperature, 96

Beacham, T.D., and Withler, R.E. Developmental stability and heterozygosity in chum (Oncorhynchus keta) and pink (Oncorhynchus gorbuscha) salmon, 1823

Beacham, T.D. see Murray, C.B., 2672

Beam, B.D., and Wiggins, G.B. A comparative study of the biology of five species of *Neophylax* (Trichoptera: Limnephilidae) in southern Ontario, 1741

Begin, M.T., and Handford, P. Comparative study of retinal oil droplets in grebes and coots, 2105

Belanger, G., Guderley, H., and FitzGerald, G.J. Salinity during embryonic development influences the response to salinity of Gasterosteus aculeatus L. (trachurus), 451

**Bélanger**, J., and Bergeron, J.-M. Can alkaloids and tannins in plants influence food choice of meadow voles (*Microtus pennsylvanicus*)?, 375 **Belden**, E.L. see Harlow, H.J., 2021

Belden, E.L. see Harlow, H.J., 2028

Bemis, W.E. Convergent evolution of jaw-opening muscles in lepidosirenid lungfishes and tetrapods, 2814

Bengtson, J.L. see Loughlin, T.R., 2079

Beninger, P.G. A qualitative and quantitative study of the reproductive cycle of the giant scallop, *Placopecten magellanicus*, in the Bay of Fundy (New Brunswick, Canada), 495

Bennett, G.F., Caines, J.R., and Woodworth-Lynas, C.B. Avian Haemoproteidae. 24. The haemoproteids of the New World passeriform families Formicariidae, Furnariidae, Mimidae, and Vireonidae, 317

Bennett, G.F. see Rahal, E.M., 322

Benz, G.W., and Deets, G.B. Echthrogaleus disciarai sp.nov. (Siphonostomatoida: Pandaridae), a parasitic copepod of the devil ray Mobula lucasana Beebe and Tee Van, 1938 from the Sea of Cortez, 685

Benz, G.W., and Dupre, K.S. Spatial distribution of the parasite Kroyeria carchariaeglauci Hesse, 1879 (Copepoda: Siphonostomatoida: Kroyeridae) on gills of the blue shark (Prionace glauca (L., 1758)), 1275

Benz, G.W. see Deets, G.B., 940

Benz, G.W. see Adamson, M.L., 3006

Bergeron, J.-M. see Bélanger, J., 375

Bergerud, A.T. Reply to Watson and Moss (1987), 1048

Bergerud, A.T., and Page, R.E. Displacement and dispersion of parturient caribou at calving as antipredator tactics, 1597

Bérubé-Genest, F., Morisset, P., et Patenaude, R.P. Le caryotype de la Hyène rayée, Hyaena hyaena, 755

Beutel, R.G., and Roughley, R.E. On the systematic position of the genus Notomicrus Sharp (Hydradephaga, Coleoptera), 1898

Bevan, D.J., and Kramer, D.L. The respiratory behaviour of an air-breathing catfish, Clarias macrocephalus (Claridae), 348

Beverley-Burton, M. see Kennedy, M.J., 1292

Beverley-Burton, M. see Wheeler, T.A., 1947

Beverley-Burton, M. see Kennedy, M.J., 2491

Bider, J.R. see Gauthier, R., 2035

Bieri, R. see Thuesen, E.V., 181

Billy, A.J. Characteristics of the testosterone-sensitive period in development of a unisexual lizard, Cnemidophorus uniparens (Teiidae), 1966

Birkhead, T.R., and Nettleship, D.N. Ecological relationships between Common Murres, *Uria aalge*, and Thick-billed Murres, *Uria lomvia*, at the Gannet Islands, Labrador. I. Morphometrics and timing of breeding, 1621

Birkhead, T.R., and Nettleship, D.N. Ecological relationships between Common Murres, *Uria aalge*, and Thick-billed Murres, *Uria lomvia*, at the Gannet Islands, Labrador. II. Breeding success and site characteristics, 1630

Birkhead, T.R., and Nettleship, D.N. Ecological relationships between Common Murres, *Uria aalge*, and Thick-billed Murres, *Uria lomvia*, at the Gannet Islands, Labrador. III. Feeding ecology of the young, 1638

Birkhead, T.R. see Verspoor, E., 247

Bishop, M.A. see Rahal, E.M., 322

Bissonette, J.A. see Snyder, J.E., 169

Black, K., Meredith, J., Thomson, B., Phillips, J., and Dietz, T. Mechanisms and properties of sodium transport in locust rectum, 3084

Blake, R.W. see Gal, J.M., 1085

Blanchet-Tournier, M.F. Mise en évidence d'une activité neurohormonale inhibitrice de la vitellogenèse chez l'amphipode Orchestia gammarella, 1917

Blouw, D.M., and Hagen, D.W. The adaptive significance of dorsal spine variation in the fourspine stickleback, Apeltes quadracus. V. Temporal variation, 2651

Boag, D.A., and Schroeder, M.A. Population fluctuations in spruce grouse: what determines their numbers in spring?, 2430

Boag, D.A. see Hochachka, W.M., 1270

Boag, D.A. see Coleman, T.S., 2358

Boag, P.T. see Plante, Y., 175

Boag, P.T. see Ratcliffe, L.M., 333

Bodaly, R.A. see Reist, J.D., 1230

Bogart, J.P., Lowcock, L.A., Zeyl, C.W., and Mable, B.K. Genome constitution and reproductive biology of hybrid salamanders, genus Ambystoma, on Kelleys Island in Lake Erie, 2188

Bondrup-Nielsen, S. Demography of Clethrionomys gapperi in different habitats, 277

Boness, D.J. see Bowen, W.D., 1

Boonstra, R. see Krebs, C.J., 565

Bordat, C. Étude ultrastructurale de l'os des vertèbres du Sélacien Scyliorhinus canicula L., 1435

Borg, B., Peute, J., Reschke, M., and van den Hurk, R. Effects of photoperiod and temperature on testes, renal epithelium, and pituitary gonadotrophic cells of the threespine stickleback, *Gasterosteus aculeatus* L., 14

Borowicz, V.A. see Juliano, S.A., 1326

Boutilier, R.G. see Iwama, G.W., 2466

Boutin, S. see Krebs, C.J., 565

Bowen, W.D., Boness, D.J., and Oftedal, O.T. Mass transfer from mother to pup and subsequent mass loss by the weaned pup in the hooded seal, Cystophora cristata, 1

Bower, S.M. Labyrinthuloides haliotidis n.sp. (Protozoa: Labyrinthomorpha), a pathogenic parasite of small juvenile abalone in a British Columbia mariculture facility, 1996

Bower, S.M. Pathogenicity and host specificity of Labyrinthuloides haliotidis (Protozoa: Labyrinthomorpha), a parasite of juvenile abalone,

Bower, S.M. Artificial culture of Labyrinthuloides haliotidis (Protozoa: Labyrinthomorpha), a pathogenic parasite of abalone, 2013

Braimah, S.A. Mechanisms of filter feeding in immature Simulium bivittatum Malloch (Diptera: Simuliidae) and Isonychia campestris McDunnough (Ephemeroptera: Oligoneuriidae), 504

**Braimah, S.A.** Pattern of flow around filter-feeding structures of immature *Simulium bivittatum* Malloch (Diptera: Simuliidae) and *Isonychia campestris* McDunnough (Ephemeroptera: Oligoneuriidae), 514

Braimah, S.A. The influence of water velocity on particle capture by the labral fans of larvae of Simulium bivittatum Malloch (Diptera: Simuliidae), 2395

Brännäs, E. Influence of photoperiod and temperature on hatching and emergence of Baltic salmon (Salmo salar L.), 1503

Brassard, C. see Vincent, B., 1906

Bridgens, J.G. see Rausch, R.L., 1755

Brigham, R.M. The significance of winter activity by the big brown bat (Eptesicus fuscus): the influence of energy reserves, 1240

Brill, R.W. see Moon, T.W., 2570

Brinkhurst, R.O., and Marchese, M. A contribution to the taxonomy of the aquatic Oligochaeta (Haplotaxidae, Phreodrilidae, Tubificidae) of South America, 3154

Brinkhurst, R.O. see Nemec, A.F.L., 691

Brodie, P.F. see Orton, L.S., 2898

Brooks, D.R. see Macdonald, C.A., 758

Brooks, D.R. see Bandoni, S.M., 1110

Brooks, D.R. see Richardson, J.P.M., 1567

Brooks, D.R. see Bandoni, S.M., 2369

Brooks, R.J. see Galbraith, D.A., 1581

Brooks, R.J. see Galbraith, D.A., 2623

Brunel, P. see Lamarche, G., 3116

Brust, R.A. see Galka, B.E., 2262

Brust, R.A. see Galka, B.E., 2266

Bull, J.J. Temperature-dependent sex determination in reptiles: validity of sex diagnosis in hatchling lizards, 1421

Bunck, C.M. see Rattner, B.A., 2953

Burighel, P. see Zaniolo, G., 1181

Burton, D. Differential effects of diurnal and continuous illumination regimes on melanophores and xanthophores of winter flounder, Pseudo-pleuronectes americanus, 1140

Burton, F.D., and Chan, L.K.W. Notes on the care of long-tail macaque (Macaca fascicularis) infants by stump-tail macaques (Macaca thibetana), 752

Bush, A.O. see Wong, P.L., 1569

Bush, A.O. see Forrester, D.J., 2976

Bye, K. Abomasal nematodes from three Norwegian wild reindeer populations, 677

Cade, W.H. see Smith, C.J., 2390

Caillet, C. see Vala, J.-C., 1675

Caines, J.R. see Bennett, G.F., 317

Cairns, D.K. Diet and foraging ecology of Black Guillemots in northeastern Hudson Bay, 1257

Calambokidis, J., Taylor, B.L., Carter, S.D., Steiger, G.H., Dawson, P.K., and Antrim, L.D. Distribution and haul-out behavior of harbor seals in Glacier Bay, Alaska, 1391

Calvert, W. see Stirling, I., 2311

Camazine, B. see Crews, D., 2362

Campbell, F.C., Houseman, J.G., and Morrison, P.E. A preliminary characterization of alkaline digestive proteases in the posterior midgut of the face fly, *Musca autumnalis* De Geer, 635

Campbell, R.W., Manuwal, D.A., and Harestad, A.S. Food habits of the Common Barn-Owl in British Columbia, 578

Cannon, M.S., Sampson, H.W., and Kapes, E.D. The blood leukocytes of *Bufo marinus*: a light, phase-contrast, and histochemical study, 1445 Carbyn, L.N., and Trottier, T. Responses of bison on their calving grounds to predation by wolves in Wood Buffalo National Park, 2072

Carl, N.E. see Pierce, C.L., 2066

Carlberg, M. see De Waele, J.-P., 2458

Carpenter, S.R. see Elser, M.M., 2846

Carter, S.D. see Calambokidis, J., 1391

Casey, R.J. Diel periodicity in density of Ephemeroptera nymphs on stream substrata and the relationship with drift and selected abiotic factors, 2945

Cash, K.J. see Reist, J.D., 1230

Castonguay, M. Growth of American and European eel leptocephali as revealed by otolith microstructure, 875

Chakraborti, P.K., and Weisbart, M. High-affinity cortisol receptor activity in the liver of the brook trout, Salvelinus fontinalis (Mitchill), 2498

Chan, K.M., Davidson, W.S., and Fletcher, G.L. Hepatic metallothionein mRNA in the winter flounder (*Pseudopleuronectes americanus*), 472 Chan, L.K.W. see Burton, F.D., 752

Chandler, D.S. Species richness and abundance of Pselaphidae (Coleoptera) in old-growth and 40-year-old forests in New Hampshire, 608

Chandler, M. see Keiver, K.M., 1866

Chandler, M.W. see Galbraith, D.A., 2623

Chant, D.A., and Yoshida-Shaul, E. A world review of the *pyri* species group in the genus *Typhlodromus* Scheuten (Acari: Phytoseiidae), 1770 Chant, D.A., and Yoshida-Shaul, E. A note on the subfamily Chantiinae Pritchard and Baker (Acari: Phytoseiidae), 2574

Chapdelaine, G., Laporte, P., and Nettleship, D.N. Population, productivity and DDT contamination trends of Northern Gannets (Sula bassanus) at Bonaventure Island, Quebec, 1967–1984, 2922

Chebouki, F. see Revardel, J.-L., 3166

Cheung, R. see Youson, J.H., 1833

Childers, D.L. see Hornbach, D.J., 113

Ching, H.L. see Andersen, K., 2216

Chitty, D. Social and local environments of the vole Microtus townsendii, 2555

Choe, J.C., and Kim, K.C. Community structure of arthropod ectoparasites on Alaskan seabirds, 2998

Chou, B.R., and Hawryshyn, C.W. Spectral transmittance of the ocular media of the bluegill (Lepomis macrochirus), 1214

Chou, B.R., and Hawryshyn, C.W. Erratum: Spectral transmittance of the ocular media of the bluegill (Lepomis macrochirus), 2325

Chu, D.S. see Rattner, B.A., 2953

Clapham, P.J., and Mayo, C.A. Reproduction and recruitment of individually identified humpback whales, *Megaptera novaeangliae*, observed in Massachusetts Bay, 1979–1985, 2853

Colby, C. see Howe, S., 1541

Cole, F.R. see Getz, L.L., 1317

Coleman, T.S., and Boag, D.A. Foraging characteristics of Canada geese on the Nisutlin River delta, Yukon, 2358

Collins, N.C. see Mousseau, T.A., 2827

Cone, D.K., and Odense, P.H. Occurrence of *Heteropolaria lwoffi* (Fauré-Fremiet, 1943) and *Apiosoma piscicola* Blanchard, 1885 (Ciliata) on *Salvelinus fontinalis* (Mitchill) in Nova Scotia, Canada, 2426

Cone, D.K., Gratzek, J.B., and Hoffman, G.L. A study of *Enterogyrus* sp. (Monogenea) parasitizing the foregut of captive *Pomacanthus paru* (Pomacanthidae) in Georgia, 312

Cone, D.K. see Nicola, K.J., 1337

Conley, D.M. see Mallatt, J., 1956

Cooley, T.M. see Rumpler, W.V., 204

Corey, S., and Milne, W.R. Recurrent groups of zooplankton in the Bay of Fundy and southwest Nova Scotia regions, Canada, 2400

Cornec, J.-P., Cresp, J., Delye, P., Hoarau, F., and Reynaud, G. Tissue responses and organogenesis during regeneration in the oligochete Limnodrilus hoffmeisteri (Clap.), 403

Cossentine, J.E., and Lewis, L.C. Development of Macrocentrus grandii Goidanich within microsporidian-infected Ostrinia nubilalis (Hübner) host larvae, 2532

Cowan, W.F. see Wayland, M., 1860

Craig, J.L. see Jamieson, I.G., 2567

Cresp, J. see Cornec, J.-P., 403

Crews, D., Grassman, M., Garstka, W.R., Halpert, A., and Camazine, B. Sex and seasonal differences in metabolism in the red-sided garter snake. Thamnophis sirtalis parietalis, 2362

Crews, D. see Whittier, J.M., 2090

Croker, R.A. see Jaramillo, E., 3024

Crossman, E.J. see Reist, J.D., 1224

Cuffney, T.F. see Wallace, J.B., 35

Cullen, A.P. see Ahmedbhai, N., 657

Cumberlidge, N. Notes on the taxonomy of West African gecarcinucids of the genus Globonautes Bott, 1959 (Decapoda, Brachyura), 2210

Curatolo, J.A. see Murphy, S.M., 2483

Date, E.M. see Weary, D.M., 1206

Davidson, W.S. see Chan, K.M., 472

Davies, D.M., and Györkös, H. The Simuliidae (Diptera) of Sri Lanka. Descriptions of species in the subgenera Eusimulium and Gomphostilbia of the genus Simulium, 1483

Davies, D.M., and Györkös, H. The Simuliidae (Diptera) of Sri Lanka. Descriptions of three new species of Simulium (Simulium), 2734

Davies, R.W., and Singhal, R.N. The chromosome numbers of five North American and European leech species, 681

Davies, R.W. see Gates, T.E., 1243

Davies, R.W. see Wrona, F.J., 1253

Dawson, P.K. see Calambokidis, J., 1391

Deets, G.B. Phylogenetic analysis and revision of *Kroeyerina* Wilson, 1932 (Siphonostomatoida: Kroyeriidae), copepods parasitic on chondrichthyans, with descriptions of four new species and the erection of a new genus, *Prokroyeria*, 2121

Deets, G.B., and Benz, G.W. Jusheyus shogunus gen. et sp. nov. (Siphonostomatoida: Eudactylinidae), a gill parasite of the bass Polyprion oxygeneios (Percichthyidae) from Coffs Harbour, Australia, 940

Deets, G.B. see Benz, G.W., 685

Deets, G.B. see Adamson, M.L., 3006

Defaye, D., Dussart, B.H., Fernando, C.H., and Sarnita, A.S. On some species of the genus *Thermocyclops* (Crustacea, Copepoda) from the Oriental Region, 3144

Delbeek, J.C., and Williams, D.D. Morphological differences among females of four species of stickleback (Gasterosteidae) from New Brunswick and their possible ecological significance, 289

Delye, P. see Cornec, J.-P., 403

DeRosa, M.J. see Adler, G.H., 2519

Descôteaux, J.-P. see Mihok, S., 54

De Waele, J.-P., Anctil, M., and Carlberg, M. Biogenic catecholamines in the cnidarian Renilla köllikeri: radio-enzymatic and chromato-graphic detection, 2458

Dewar, H.J. see Furlonger, C.L., 284

Dick, T.A. see Shostak, A.W., 2287

Dick, T.A. see Shostak, A.W., 2878

Dickinson, T.E., and Lein, M.R. Territory dynamics and patterns of female recruitment in Red-winged Blackbirds (Agelaius phoeniceus), 465

Dickinson, T.E., Falls, J.B., and Kopachena, J. Effects of female pairing status and timing of breeding on nesting productivity in western meadowlarks (Sturnella neglecta), 3093

Dietz, T. see Black, K., 3084

Dietz, T.H. see Silverman, H., 828

Dill, L.M. Animal decision making and its ecological consequences: the future of aquatic ecology and behaviour, 803

Dill, L.M., and Ydenberg, R.C. The group size - flight distance relationship in water striders (Gerris remigis), 223

Dixon, B.R., and Arai, H.P. An investigation of host influence on soluble protein banding profiles of *Hymenolepis* spp. (Cestoidea), using isoelectric focusing, 2471

Dixon, S.M., and Baker, R.L. Effects of fish on feeding and growth of larval Ischnura verticalis (Coenagrionidae: Odonata), 2276

Dobson, G.P. see Weber, J.-M., 2513

Dodson, G. The significance of sexual dimorphism in the mating system of two species of tephritid flies (Aciurina trixa and Valentibulla död-soni) (Diptera: Tephritidae), 194

Dodson, J.J. see Morin, P.-P., 2710

Dolphin, W.F. Ventilation and dive patterns of humpback whales, Megaptera novaeangliae, on their Alaskan feeding grounds, 83

Dolphin, W.F. Dive behavior and estimated energy expenditure of foraging humpback whales in southeast Alaska, 354

Doré, F.Y. see Morin, P.-P., 2710

Downer, R.G.H. Projected research trends in invertebrate physiology and biochemistry, 797

Downer, R.G.H. see Gole, J.W.D., 1509

Downer, R.G.H. see Jahagirdar, A.P., 2619

Drew, M.L., and Samuel, W.M. Reproduction of the winter tick, Dermacentor albipictus, under laboratory conditions, 2583

Driedzic, W.R. see Ewart, H.S., 623

Duffy, L.K., Ehrhardt, M.M., Romero, M., and Florant, G.L. A note comparing the primary structure of hemoglobin β chains of the arctic ground squirrel and the yellow-bellied marmot, 3197

Dulude, A.-M., Baron, G., and McNeil, R. Role of male and female Ring-billed Gulls in the care of young and territorial defense, 1535

Duncan, D.C. Nesting of northern pintails in Alberta: laying date, clutch size, and renesting, 234

Duncan, D.C. Variation and heritability in egg size of the northern pintail, 992

Dunn, J.F., and Hochachka, P.W. Turnover rates of glucose and lactate in rainbow trout during acute hypoxia, 1144

Dupre, K.S. see Benz, G.W., 1275

Duquette, L.S., and Klein, D.R. Activity budgets and group size of caribou during spring migration, 164

Dussart, B.H., and Sarnita, A.S. A new freshwater copepod, Mesocyclops brevisetosus sp.nov. (Crustacea, Cyclopoida) from Kalimantan, Indonesia, 2731

Dussart, B.H. see Defaye, D., 3144

Duszynski, D.W. see Reduker, D.W., 722

Dykeman, D. see Johnston, C.E., 415

Earle, R.D. see Rumpler, W.V., 204

East, P., and Magnan, P. The effect of locomotor activity on the growth of brook charr, Salvelinus fontinalis Mitchill, 843

Edds, P.L., and Macfarlane, J.A.F. Occurrence and general behavior of balaenopterid cetaceans summering in the St. Lawrence Estuary, Canada, 1363

Edmunds, S.R., and Ankney, C.D. Sex ratios of hatchling Mourning Doves, 871

Ehrhardt, M.M. see Duffy, L.K., 3197

Elser, M.M., von Ende, C.N., Sorrano, P., and Carpenter, S.R. Chaoborus populations: response to food web manipulation and potential effects on zooplankton communities, 2846

Emerson, C.W. see Middlebrook, K., 594

Enyikwola, O. Chloride-dependent electrogenesis by the anterior intestine of Achatina fulica, 1681

Enyikwola, O. Effects of ganglion extracts on chloride-dependent electrical potentials and short-circuit currents across the mantle epithelium of Achatina fulica, 2272

Ernst, W.R., and Garside, E.T. Lethal effects of vanadium to two life stages of brook trout Salvelinus fontinalis (Mitchill), 628

Evans, J.J. see MacLean, S.A., 296

Everline, S. see MacLean, S.A., 296

Ewart, H.S., and Driedzic, W.R. Enzymes of energy metabolism in salmonid hearts: spongy versus cortical myocardia, 623

Ewing, D. see Perry, S.F., 888

Ewing, D. see Perry, S.F., 896

Eymann, M., Schmidt, J.M., and Friend, W.G. Computer analysis of polarized spacing patterns with special reference to the larvae of the black fly, Simulium vittatum, 602

Faber, D.J. see Simon, T.P., 1264

Fahrig, L., and Paloheimo, J.E. Interpatch dispersal of the cabbage butterfly, 616

Fairey, D.T., Lefkovitch, L.P., and Nelson, D.L. Viability of prepupae of the leafcutting bee Megachile rotundata (Fab.) during extended storage, 1853

Falk, J.W., and Millar, J.S. Reproduction by female Zapus princeps in relation to age, size, and body fat, 568

Falls, J.B. see Dickinson, T.E., 3093

Fancy, S.G., and White, R.G. Energy expenditures for locomotion by barren-ground caribou, 122

Fell, R.D. see Goldblatt, J.W., 2349

Feltmate, B.W. Predator-prey interactions in a stream: a combined field and laboratory study of Paragnetina media (Plecoptera) and Hydropsyche sparna (Trichoptera), 448

Fenton, M.B. see Furlonger, C.L., 284

Fentress, J.C., Ryon, J., and McLeod, P.J. Coyote adult-pup interactions in the first 3 months, 760

Ferguson, S.H. see Jakimchuk, R.D., 534

Ferkin, M.H., and Seamon, J.O. Odor preference and social behavior in meadow voles, Microtus pennsylvanicus; seasonal differences, 2931

Fernandez, A. see Azcoitia, I., 920

Fernández, B. see Azcoitia, I., 920

Fernando, C.H. see Rajapaksa, R., 216

Fernando, C.H. see Rajapaksa, R., 432

Fernando, C.H. see Defaye, D., 3144

Fink, T.J. see Peters, J.G., 3177

Fisher, R., Gilbert, F.F., and Robinette, J.D. Heart rate as an indicator of oxygen consumption in the pine marten (Martes americana), 2085

FitzGerald, G.J. see Belanger, G., 451

FitzGerald, G.J. see Lachance, S., 1573

FitzGerald, G.J. see Poulin, R., 2793

Flegler-Balon, C. see Veenstra, R.S., 1286

Fleischer, R.C., Smyth, A.P., and Rothstein, S.I. Temporal and age-related variation in the laying rate of the parasitic brown-headed cowbird in the eastern Sierra Nevada, California, 2724

Fletcher, G.L., and Haedrich, R.T. Rheological properties of rainbow trout blood, 879

Fletcher, G.L., King, M.J., and Kao, M.H. Low temperature regulation of antifreeze glycopeptide levels in Atlantic cod (Gadus morhua), 227

Fletcher, G.L. see Chan, K.M., 472

Florant, G.L. see Duffy, L.K., 3197

Forbes, L.S. Feeding behaviour of Great Blue Herons at Creston, British Columbia, 3062

Forbes, M.R.L., and Ankney, C.D. Hatching asynchrony and food allocation within broods of Pied-billed Grebes, Podilymbus podiceps, 2872

Forrester, D.J., Pence, D.B., Bush, A.O., Lee, D.M., and Holler, N.R. Ecological analysis of the helminths of round-tailed muskrats (*Neofiber alleni* True) in southern Florida, 2976

Foster, R.L. see Gamboa, G.J., 2893

Fournié, J., and Zylberberg, L. Ultrastructural organization, ontogenesis, and regeneration of the periostracum in the slug *Deroceras reticulatum* (Mollusca), 1935

France, R.L., and Stokes, P.M. Influence of manganese, calcium, and aluminum on hydrogen ion toxicity to the amphipod *Hyalella azteca*, 3071

Francois, J. see Tano, Y., 1923

Frank, R.J. see Keiver, K.M., 1866

Friend, W.G. see Eymann, M., 602

Frimeth, J.P. A survey of the parasites of nonanadromous and anadromous brook charr (Salvelinus fontinalis) in the Tabusintac River, New Brunswick, Canada, 1354

Frimeth, J.P. Potential use of certain parasites of brook charr (Salvelinus fontinalis) as biological indicators in the Tabusintac River, New Brunswick, Canada, 1989

Fritzell, E.K. see Arnold, T.W., 2322

Frombach, S. see Lynn, D.H., 3133

Frombach, S.K. see Rosser, B.W.C., 63

Fudge, R.J.P. see Reist, J.D., 1230

Fullard, J.H. The defensive function of auditory enhancers in the neotropical moth Antaea lichyi (Lepidoptera: Notodontidae), 2042

Fuller, W.A. Fourth International Theriological Congress: Introduction, 1052

Furlonger, C.L., Dewar, H.J., and Fenton, M.B. Habitat use by foraging insectivorous bats, 284

Furnell, D.J. Partitioning of locomotor and feeding metabolism in sablefish (Anoplopoma fimbria), 486

Furstenberg, J.P., and Heyns, J. Cobbionema capense n.sp. from Swartkops estuary, Port Elizabeth (Nematoda: Selachinematidae), 80

Gal, J.M., and Blake, R.W. Hydrodynamic drag of two frog species: Hymenochirus boettgeri and Rana pipiens, 1085

Galbraith, D.A., and Brooks, R.J. Survivorship of adult females in a northern population of common snapping turtles, Chelydra serpentina,

Galbraith, D.A., Chandler, M.W., and Brooks, R.J. The fine structure of home ranges of male Chelydra serpentina: are snapping turtles territorial?, 2623

Galka, B.E., and Brust, R.A. The effect of temperature and photoperiod on the induction of larval diapause in the mosquito Aedes togoi (Theobald) (Diptera: Culicidae), 2262

Galka, B.E., and Brust, R.A. The effect of temperature and photoperiod on the induction of embryonic diapause in the mosquito Aedes togoi (Theobald) (Diptera: Culicidae), 2266

Gamboa, G.J., Foster, R.L., and Richards, K.W. Intraspecific nest and brood recognition by queens of the bumble bee, *Bombus occidentalis* (Hymenoptera: Apidae), 2893

Garside, E.T. see Ernst, W.R., 628

Garstka, W.R. see Crews, D., 2362

Gasc, C. see Vala, J.-C., 1675

Gaskin, D.E. see Nol, E., 2682

Gates, C.C. see Adamczewski, J.Z., 368

Gates, C.C. see Adamczewski, J.Z., 1149

Gates, T.E., and Davies, R.W. The influence of temperature on the depth distribution of sympatric Erpobdellidae (Hirudinoidea), 1243

Gauthier, G. Brood territories in buffleheads: determinants and correlates of territory size, 1402

Gauthier, R., and Bider, J.R. The effects of weather on runway use by rodents, 2035

Gee, R.J. A comparative morphological study of the Stutzzelle (support cell) in the phylum Acanthocephala, 660

Geen, G.H. see van Frankenhuyzen, K., 1729

Geist, V. Bergmann's rule is invalid, 1035

Geist, V. On speciation in Ice Age mammals, with special reference to cervids and caprids, 1067

Genest, F.B., Morisset, P., et Patenaude, R.P. Chromosomes du Lynx roux, Lynx rufus, 3192

George, J.C. see Rosser, B.W.C., 63

Gern, W.A. see Harlow, H.J., 2021

Gern, W.A. see Harlow, H.J., 2028

Getz, L.L., Hofmann, J.E., Klatt, B.J., Verner, L., Cole, F.R., and Lindroth, R.L. Fourteen years of population fluctuations of *Microtus ochrogaster* and *M. pennsylvanicus* in east central Illinois, 1317

Giddens, W.E., Jr. see Rausch, R.L., 1755

Gilbert, B.S. see Krebs, C.J., 565

Gilbert, F.F. see Fisher, R., 2085

Gingerich, P.D. Evolution and the fossil record: patterns, rates, and processes, 1053

Gjertz, I. see Lydersen, C., 1021

Goldblatt, J.W., and Fell, R.D. Adult longevity of workers of the bumble bees *Bombus fervidus* (F.) and *Bombus pennsylvanicus* (De Geer) (Hymenoptera: Apidae), 2349

Gole, J.W.D., Orr, G.L., and Downer, R.G.H. Octopamine-mediated elevation of cyclic AMP in haemocytes of the American cockroach, *Peri-*planeta americana L., 1509

Golini, V.I. Simuliidae (Diptera) of Rendalen, Norway. Description of a new species of Eusimulium (Hellichiella) and previously undescribed stages of Eusimulium rendalense and Eusimulium fallisi, 708

Gooding, R.H. Genetic basis of sterility in hybrid males from crosses of Glossina morsitans morsitans and Glossina morsitans centralis (Diptera: Glossinidae), 640

Goudreault, F. see Messier, F., 2413

Grant, J.W.A., and Noakes, D.L.G. A simple model of optimal territory size for drift-feeding fish, 270

Grant, P.M., and Masteller, E.C. Intersexuality in Ephemeroptera: description of four specimens and comments on its occurrence in a parthenogenetic species, 1985

Grasset, M. see Gruet, Y., 837

Grassman, M. see Crews, D., 2362

Gratzek, J.B. see Cone, D.K., 312

Green, D.A., and Millar, J.S. Changes in gut dimensions and capacity of *Peromyscus maniculatus* relative to diet quality and energy needs, 2159

Greenwood, S.J., and Baker, M.R. Cystidicoloides ephemeridarum (Linstow, 1872) (Nematoda) in speckled trout, Salvelinus fontinalis, from southern Ontario, 2589

Griffith, H. Phylogenetic relationships and evolution in the genus *Dissodactylus* Smith, 1870 (Crustacea: Brachyura: Pinnotheridae), 2292 Gruber, S.H. see Zeiske, E., 2406

Gruet, Y., Vovelle, J., et Grasset, M. Composante biominérale du ciment du tube chez Sabellaria alveolata (L.), Annélide Polychète, 837 Guderley, H. see Belanger, G., 451

Guinan, D.M., and Sealy, S.G. Diet of house wrens (*Troglodytes aedon*) and the abundance of the invertebrate prey in the dune-ridge forest, Delta Marsh, Manitoba, 1587

Guittin, P. Croissance de l'autruche en parc zoologique, 3056

Gunn, J.M., Noakes, D.L.G., and Westlake, G.F. Behavioural responses of lake charr (Salvelinus namaycush) embryos to simulated acidic runoff conditions, 2786

Gupta, S.K., and Maiti, B.R. Ovarian activity during the annual reproductive cycle and nesting cycle of a wild avian species, the pied myna (Sturnus contra contra), 958

Györkös, H. see Davies, D.M., 1483

Györkös, H. see Davies, D.M., 2734

Hadley, N.F., and Hendricks, G.M. X-ray microanalysis of the cuticle surface of the terrestrial isopod Porcellionides pruinosus, 1218

Haedrich, R.T. see Fletcher, G.L., 879

Hagen, D.W. see Blouw, D.M., 2651

Haldar-Misra, C., and Srivastava, M. Effect of pinealectomy on photoperiodic gonadal response of Indian palm squirrel, Funambulus pennanti. 833

Halpert, A. see Crews, D., 2362

Handford, P. see Begin, M.T., 2105

Hannam, A.G. see Taylor, M.E., 1696

Hansen, G.L. see Barnard, P., 1942

Hansen, G.L. see Simmons, R., 2324

Haramis, G.M. see Rattner, B.A., 2953

Harestad, A.S. see Campbell, R.W., 578

Harlow, H.J., Thorne, E.T., Williams, E.S., Belden, E.L., and Gern, W.A. Adrenal responsiveness in domestic sheep (Ovis aries) to acute and chronic stressors as predicted by remote monitoring of cardiac frequency, 2021

Harlow, H.J., Thorne, E.T., Williams, E.S., Belden, E.L., and Gern, W.A. Cardiac frequency: a potential predictor of blood cortisol levels during acute and chronic stress exposure in Rocky Mountain bighorn sheep (*Ovis canadensis canadensis*), 2028

Harman, J.C. see Weber, J.-M., 2513

Harmsen, R. see Woolhouse, M.E.J., 1577

Harrison, A.D. see Rempel, R.S., 2545

Hartwick, E.B. see Stanhope, M.J., 2097

Harvey, H.H. see Trippel, E.A., 558

Harvey, M. see Vincent, B., 1906

Hatfield, E.B. see Jaramillo, E., 3024

Hawryshyn, C.W. see Chou, B.R., 1214

Hawryshyn, C.W. see Chou, B.R., 2325

Hearn, B.J., Keith, L.B., and Rongstad, O.J. Demography and ecology of the arctic hare (Lepus arcticus) in southwestern Newfoundland, 852

Heitmeyer, M.E. The prebasic moult and basic plumage of female mallards (Anas platyrhynchos), 2248

Heming, T.A. see Iwama, G.W., 2466

Hendricks, G.M. see Hadley, N.F., 1218

Hendricks, P. Foraging patterns of Water Pipits (Anthus spinoletta) with nestlings, 1522

Herd, R.M. Electrophoretic divergence of Myotis leibii and Myotis ciliolabrum (Chiroptera: Vespertilionidae), 1857

Herman, L.M. see Baker, C.S., 2818

Heyns, J. see Furstenberg, J.P., 80

Hinch, S.G., and Stephenson, L.A. Size- and age-specific patterns of trace metal concentrations in freshwater clams from an acid-sensitive and a circumneutral lake, 2436

Hoarau, F. see Cornec, J.-P., 403

Hobbs, N.T. see Baker, D.L., 1978

Hoberg, E.P. Recognition of larvae of the Tetrabothriidae (Eucestoda): implications for the origin of tapeworms in marine homeotherms, 997

Hoberg, E.P. Reighardia sternae (Diesing, 1864) (Pentastomida) from seabirds in Antarctica, 1289

Hoberg, E.P. Tetrabothrius shinni sp.nov. (Eucestoda) from Phalacrocorax atriceps bransfieldensis (Pelecaniformes) in Antarctica with comments on morphological variation, host-parasite biogeography, and evolution, 2969

Hobson, K.A. Use of stable-carbon isotope analysis to estimate marine and terrestrial protein content in gull diets, 1210

Hochachka, P.W. see Dunn, J.F., 1144

Hochachka, P.W. see Weber, J.-M., 2513

Hochachka, P.W. see Moon, T.W., 2570

Hochachka, W.M., and Boag, D.A. Food shortage for breeding Black-billed Magpies (Pica pica): an experiment using supplemental food, 1270

Hoffman, G.L. see Cone, D.K., 312

Hofmann, J.E. see Getz, L.L., 1317

Hogans, W.E. see Rubec, L.A., 1559

Holler, N.R. see Forrester, D.J., 2976

Hollett, L. see Sherman, R.K., 2646

Holmes, J.C. see Stock, T.M., 669

Holsinger, J.R., and Shaw, D.P. Stygobromus quatsinensis, a new amphipod crustacean (Crangonyctidae) from caves on Vancouver Island, British Columbia, with remarks on zoogeographic relationships, 2202

Hong, H. see Wright, K.A., 771

Hornbach, D.J., and Childers, D.L. The effects of acidification on life-history traits of the freshwater clam *Musculium partumeium* (Say, 1822) (Bivalvia: Pisidiidae), 113

Houseman, J.G. see Campbell, F.C., 635

Howden, H.F., and Peck, S.B. Adult habits, larval morphology, and phylogenetic placement of *Taurocerastes patagonicus* Philippi (Scarabaeidae: Geotrupinae), 329

Howe, S., Kilgore, D.L., Jr., and Colby, C. Respiratory gas concentrations and temperatures within nest cavities of the northern flicker (Colaptes auratus), 1541

Howland, H.C. see Sivak, J.G., 2833

Hoyle, J.A., and Keast, A. The effect of prey morphology and size on handling time in a piscivore, the largemouth bass (*Micropterus salmoides*), 1972

Huber, H.R. Natality and weaning success in relation to age of first reproduction in northern elephant seals, 1311

Hudson, R.J. see Adamczewski, J.Z., 368

Hudson, R.J. see Adamczewski, J.Z., 1149

Hughes, A.L., and Hughes, M.K. Asymmetric contests among sawyer beetles (Cerambycidae: Monochamus notatus and Monochamus scutellatus), 823

Hughes, M.K. see Hughes, A.L., 823

Hughes, M.R. The effects of ureteral resistance on gull urine composition and flow rate, 2669

Hugie, D.M., and Smith, R.J.F. Epidermal club cells are not linked with an alarm response in reedfish, Erpetoichthys (= Calamoichthys) calabaricus, 2057

Hui, C.A. The porpoising of penguins: an energy-conserving behavior for respiratory ventilation? 209

Hunt, T.C., and Rowley, A.F. Studies on the reticuloendothelial system of the dogfish Scyliorhinus canicula. Endocytic activity of fixed cells in the spleen and liver, 1759

Hunter, F.F. Cytotaxonomy of four European species in the Eusimulium vernum group (Diptera: Simuliidae), 3102

Huot, J. see Messier, F., 2413

Hurly, T.A. Male-biased adult sex ratios in a red squirrel population, 1284

Hurly, T.A., and Robertson, R.J. Scatterhoarding by territorial red squirrels: a test of the optimal density model, 1247

Hutchings, J.A., and Myers, R.A. Escalation of an asymmetric contest: mortality resulting from mate competition in Atlantic salmon, Salmo salar, 766

Idler, D.R. see Nagler, J.J., 2421

Innes, D.G.L., and Kavaliers, M. Opiates and deer mouse behaviour: differences between island and mainland populations, 2504

Iwama, G.W., Boutilier, R.G., Heming, T.A., Randall, D.J., and Mazeaud, M. The effects of altering gill water flow on gas transfer in rainbow trout, 2466

Jaeger, R.G. see Walls, S.C., 2938

Jahagirdar, A.P., Viswanatha, T., and Downer, R.G.H. Trehalose-hydrolysing activities in thoracic musculature of the American cockroacii, Periplaneta americana, 2619

Jakimchuk, R.D., Ferguson, S.H., and Sopuck, L.G. Differential habitat use and sexual segregation in the Central Arctic caribou herd, 534 Jamieson, I.G., Craig, J.L., and Minot, E.O. Incubation by young, nonbreeding birds: potential versus realization of behaviour, 2567

Janakat, S. see Al-Hajj, H., 2959

Jaramillo, E., Croker, R.A., and Hatfield, E.B. Long-term structure, disturbance, and recolonization of macroinfauna in a New Hampshire sand beach, 3024

Jaslow, C.R. Morphology and digestive efficiency of red foxes (Vulpes vulpes) and grey foxes (Urocyon cinereoargenteus) in relation to diet, 72

Jefferies, D. Labrocibarial sensilla in the female of the black fly Simulium damnosum s.l. (Diptera: Simuliidae), 441

Jefferies, D. Labrocibarial sensilla in the female sand fly Lutzomyia longipalpis Lutz & Neiva (Diptera: Psychodidae), 444

Jefferson, T.A. A study of the behavior of Dall's porpoise (Phocoenoides dalli) in the Johnstone Strait, British Columbia, 736

Jenkins, K.J., and Wright, R.G. Dietary niche relationships among cervids relative to winter snowpack in northwestern Montana, 1397

Jensen, R.G. see Tunnicliffe, V., 2443

Johnson, F.E. The vasculature of the white bodies in the ommastrephid squid *Illex illecebrosus* (LeSueur, 1821): a proposed route for the dissemination of newly formed hemocytes, 1607

Johnson, S.C., and Scheibling, R.E. Reproductive patterns of harpacticoid copepods on intertidal macroalgae (Ascophyllum nodosum and Fucus vesiculosus) in Nova Scotia, Canada, 129

Johnston, C.E., and Dykeman, D. Observations on body proportions and egg production in the female parasitic copepod (Salmincola salmoneus) from the gills of Atlantic salmon (Salmo salar) kelts exposed to different temperatures and photoperiods, 415

Juliano, S.A., and Borowicz, V.A. Parasitism of a frugivorous fly, Rhagoletis cornivora, by the wasp Opius richmondi: relationships to fruit and host density, 1326

Kabata, Z. Acanthochondria hippoglossi sp.nov. (Copepoda, Chondracanthidae), a crustacean parasite of some flatfishes off the Pacific coast of North America, 213

Kabata, Z. The developmental stages of Neobrachiella robusta (Wilson, 1912), a parasitic copepod of Sebastes (Teleostei: Scorpaeniformes), 1331

Kabata, Z. see Whitaker, D.J., 936

Kabata, Z. see Leaman, B.M., 2579

Kao, M.H. see Fletcher, G.L., 227

Kapes, E.D. see Cannon, M.S., 1445

**Kapoor**, N.N. Fine structure of the coniform sensillar complex on the antennal flagellum of the stonefly nymph *Paragnetina media* (Plecoptera: Perlidae), 1827

Kaufman, M.G., and King, R.H. Colonization of wood substrates by the aquatic xylophage Xylotopus par (Diptera: Chironomidae) and a description of its life history, 2280

Kavaliers, M. see Innes, D.G.L., 2504

Keast, A. see Hoyle, J.A., 1972

Keats, D.W., Steele, D.H., and South, G.R. The rôle of fleshy macroalgae in the ecology of juvenile cod (Gadus morhua L.) in inshore waters off eastern Newfoundland, 49

Keats, D.W., Steele, D.H., and South, G.R. Ocean pout (Macrozoarces americanus (Bloch and Schneider) (Pisces: Zoarcidae)) predation on green sea urchins (Strongylocentrotus droebachiensis (O.F. Mull.) (Echinodermata: Echinoidea)) in eastern Newfoundland, 1515

Keenleyside, M.H.A. see Noltie, D.B., 379

Kehoe. F.P., and Thomas, V.G. A comparison of interspecific differences in the morphology of external and internal feeding apparatus among North American Anatidae, 1818

Keith, L.B. see Hearn, B.J., 852

Keiver, K.M., Chandler, M., Frank, R.J., and Ronald, K. Plasma and blood volumes of the hooded seal (Cystophora cristata), 1866 Kelsall, J.P. see Simpson, K., 572

Kennedy, M.J., Killick, L.M., and Beverley-Burton, M. The prevalence of Paradistomum geckonum, Mesocoelium sociale, and Postorchigenes ovatus (Digenea) in lizards (Sauria) from Indonesia, 1292

Kennedy, M.J., Killick, L.M., and Beverley-Burton, M. Life cycle studies on two Digenea, Paradistomum geckonum (Dicrocoeliidae) and Mesocoelium sociale (Mesocoeliidae), in geckonid lizards from Indonesia, 2491

Keppie, D.M. Do some female spruce grouse not breed?, 211

Kevan, D.K.McE. see Klimaszewski, J., 3032

Kevan, P.G. see Kukal, O., 156

Khan, R.A. Effects of chronic exposure to petroleum hydrocarbons on two species of marine fish infected with a hemoprotozoan, Trypanosoma murmanensis, 2703

Khan, R.A. see Kiceniuk, J.W., 490

Kiceniuk, J.W., and Khan, R.A. Effect of petroleum hydrocarbons on Atlantic cod, Gadus morhua, following chronic exposure, 490

Kilgore, D.L., Jr., see Howe, S., 1541

Killick, L.M. see Kennedy, M.J., 1292

Killick, L.M. see Kennedy, M.J., 2491

Kim, K.C. see Choe, J.C., 2998

King, M.J. see Fletcher, G.L., 227 King, R.H. see Kaufman, M.G., 2280

Kinsella, J.M., and Pence, D.B. Description of Capillaria forresteri sp.n. (Nematoda: Trichuridae) from the rice rat Oryzomys palustris in Florida, with notes on its ecology and seasonal variation, 1294

Kipp, L.R. The flight directionality of honeybees foraging on real and artificial inflorescences, 587

Klatt, B.J. see Getz, L.L., 1317

Klein, D.R. see Duquette, L.S., 164

Klimaszewski, J., and Peck, S.B. Succession and phenology of beetle faunas (Coleoptera) in the fungus Polyporellus squamosus (Huds.: Fr.) Karst. (Polyporaceae) in Silesia, Poland, 542

Klimaszewski, J., Kevan, D.K.McE., and Peck, S.B. A review of the Neuroptera of the Galápagos Islands with a new record for Sympherobius barberi (Banks) (Hemerobiidae), 3032

Knight, G.C., and Sage, M. The effect of time of day and photoperiod on prolactin content and electrophoretic mobility in the pituitary of the goldfish, Carassius auratus L., 199

Knisley, C.B. Habitats, food resources, and natural enemies of a community of larval Cicindela in southeastern Arizona (Coleoptera: Cicindelidae), 1191

Kopachena, J. see Dickinson, T.E., 3093

Kopachena, J.G. Variations in the temporal spacing of Franklin's gull (Larus pipixcan) flocks, 2450

Korsgaard, B. Assimilation and metabolism of exogenous glucose by yolk-sac embryos after intraovarian preincubation and in vitro in Zoarces viviparus, 1201

Kramer, D.L. see Bevan, D.J., 348

Kramer, D.L. see Smith, R.S., 1862

Krebs, C.J., Gilbert, B.S., Boutin, S., and Boonstra, R. Estimation of snowshoe hare population density from turd transects, 565

Kukal, O., and Kevan, P.G. The influence of parasitism on the life history of a high arctic insect, Gynaephora groenlandica (Wöcke) (Lepidoptera: Lymantriidae), 156

Kukalová-Peck, J. New Carboniferous Diplura, Monura, and Thysanura, the hexapod ground plan, and the role of thoracic side lobes in the origin of wings (Insecta), 2327

Lachance, S., Magnan, P., and FitzGerald, G.J. Temperature preferences of three sympatric sticklebacks (Gasterosteidae), 1573

Lacroix, G.L. Fish community structure in relation to acidity in three Nova Scotia rivers, 2908

Laden, S., Nehmadi, L., and Yagil, R. Dehydration tolerance in Awassi fat-tailed sheep, 363

Lamarche, G., et Brunel, P. Cycle de développement, écologie et succès d'Hippomedon propinquus (Amphipoda, Gammaridea) dans deux écosystèmes du golfe du Saint-Laurent, 3116

Lancaster, J., and Scudder, G.G.E. Aquatic Coleoptera and Hemiptera in some Canadian saline lakes: patterns in community structure, 1383 Laporte, P. see Chapdelaine, G., 2922

Larsen, K.W. Movements and behavior of migratory garter snakes, Thamnophis sirtalis, 2241

Larson, R.J. Costs of transport for the scyphomedusa Stomolophus meleagris L. Agassiz, 2690

Lasenby, D.C. see Sherman, R.K., 2646

Latour, P.B. Observations on demography, reproduction, and morphology of muskoxen (Ovibos moschatus) on Banks Island, Northwest Territories, 265

Lauthner, J. see Stinson, C.H., 2116

Lawton, T. see Mihok, S., 54

Lay, C.C. see Wallace, J.B., 35

Layne, J.R., Jr., and Lee, R.E., Jr. Freeze tolerance and the dynamics of ice formation in wood frogs (Rana sylvatica) from southern Ohio, 2062

Leaman, B.M., and Kabata, Z. Neobrachiella robusta (Wilson, 1912) (Copepoda: Lernaeopodidae) as a tag for identification of stocks of its host, Sebastes alutus (Gilbert, 1890) (Pisces: Teleostei), 2579

Leatherland, J.F., and Sonstegard, R.A. Comparative fecundity and egg survival in two stocks of goitred coho salmon (Oncorhynchus kisutch Walbaum) from Lake Erie, 2780

Leblanc, Y. Intraclutch variation in egg size of Canada geese, 3044

Le Boulangé, E. see Rozenfeld, F.M., 2594

Lee, D.A., and Spence, J.R. Reproductive patterns of the European corn borer (Ostrinia nubilatis) in Alberta, 1733

Lee, D.M. see Forrester, D.J., 2976

Lee, R.E., Jr. see Layne, J.R., Jr., 2062

Lefkovitch, L.P. see Fairey, D.T., 1853

Léger, C., et McNeil, R. Choix de l'emplacement des nids de Cormorans à aigrettes (Phalacrocorax auritus) aux îles de la Madeleine, Québec, 24

Lein, M.R. see Dickinson, T.E., 465

Lemon, R.E. see Weary, D.M., 1206

Lewis, D.J. see Webber, R.A., 1340

Lewis, D.J. see Webber, R.A., 2346

Lewis, L.C. see Cossentine, J.E., 2532

Licht, P. see Whittier, J.M., 2090

Licht, P. see Barnes, B.M., 3020

Liley, N.R. see McKinnon, J.S., 1129

Lindquist, E.E., and Zacharda, M. A new genus and species of Rhagidiidae (Acari: Prostigmata) from Chihuahuan Desert litter in New Mexico, 2149

Lindroth, R.L. see Getz, L.L., 1317

Linton, L.R. see Wrona, F.J., 1253

Lisk, R.D. see Wynne-Edwards, K.E., 2229

Lobreau, A. see Mihok, S., 54

Lockyer, C.H. see Aguilar, A., 253

Loughlin, T.R., Bengtson, J.L., and Merrick, R.L. Characteristics of feeding trips of female northern fur seals, 2079

Lowcock, L.A. see Bogart, J.P., 2188

Lydersen, C., and Giertz, I. Population parameters of ringed seals (Phoca hispida Schreber, 1775) in the Syalbard area, 1021

Lynn, D.H., and Frombach, S. The ultrastructure and systematics of Schizocaryum dogieli, a ciliate endocommensal in Pacific echinoids, 3133

Lynn, D.H. see Middlebrook, K., 594

Mable, B.K. see Bogart, J.P., 2188

Macdonald, C.A., and Brooks, D.R. A new species of *Telorchis* Luehe, 1899 (Digenea: Telorchiidae) from the yellow-bellied turtle, *Chrysemys scripta scripta* Schoepff, 1792, 758

Macdonald, J.S., and Waiwood, K.G. Feeding chronology and daily ration calculations for winter flounder (*Pseudopleuronectes americanus*), American plaice (*Hippoglossoides platessoides*), and ocean pout (*Macrozoarces americanus*) in Passamaquoddy Bay, New Brunswick, 499

Macfarlane, J.A.F. see Edds, P.L., 1363

MacGowan, G. see Terhune, J.M., 2119

MacKay, P.A. Production of sexual and asexual morphs and changes in reproductive sequence associated with photoperiod in the pea aphid, Acyrthosiphon pisum (Harris), 2602

MacKinnon, B.M. see Riga, E., 1842

MacLean, S.A., Morrison, C.M., Murchelano, R.A., Everline, S., and Evans, J.J. Cysts of unknown etiology in marine fishes of the Northwest Atlantic and Gulf of Mexico, 296

MacWhirter, B. see Barnard, P., 1942

MacWhirter, B. see Simmons, R., 2324

Magnan, P. see East, P., 843

Magnan, P. see Lachance, S., 1573

Magor, B.G. First report of *Loma* sp. (Microsporida) in juvenile coho salmon (*Oncorhynchus kisutch*) from Vancouver Island, British Columbia, 751

Mahmoud, F. see Al-Hajj, H., 2959

Maiti, B.R. see Gupta, S.K., 958

Mallatt, J., Conley, D.M., and Ridgway, R.L. Why do hagfish have gill "chloride cells" when they need not regulate plasma NaCl concentration?, 1956

Malone, S. see Perry, S.F., 888

Malone, S. see Perry, S.F., 896

Manuwal, D.A. see Campbell, R.W., 578

Marchese, M. see Brinkhurst, R.O., 3154

Margolis, L. see Thompson, A.B., 188

Margolis, L. see Bailey, R.E., 420

Martin, I.D., and Barton, D.R. The formation of diapause aggregations by larvae of Neophylax fuscus Banks (Trichoptera: Limnephilidae) and their influence on mortality and development, 2612

Martinucci, G. see Zaniolo, G., 1181

Mason, R.T. see Whittier, J.M., 2090

Masteller, E.C. see Grant, P.M., 1985

Mayo, C.A. see Clapham, P.J., 2853

Mazeaud, M. see Iwama, G.W., 2466

McEnroe, W.D., and Specht, H.B. Age effect analysis of *Dermacentor variabilis* (Say) adult populations during seasonal activity (Acari: Ixodidae), 455

McGurk, B.P. see McLaughlin, J.D., 1470

McIver, S.B., and O'Grady, G.E. Possible role of the central retinular cells in the ommatidia of male black flies (Diptera: Simuliidae), 3186

McIver, S.B. see Nyhof, J.M., 142

McIver, S.B. see O'Grady, G.E., 1454

McKinnon, J.S., and Liley, N.R. Asymmetric species specificity in responses to female sexual pheromone by males of two species of *Trichogaster* (Pisces: Belontiidae), 1129

McLagan, R.L. see Piatt, J.F., 1530

McLaughlin, J.D., and McGurk, B.P. An analysis of gizzard worm infections in fall migrant ducks at Delta, Manitoba, Canada, 1470

McLeod, P.J. see Fentress, J.C., 760

McNeil, J.W. see Silverman, H., 828

McNeil, R. see Léger, C., 24

McNeil, R. see Dulude, A.-M., 1535

McPhail, J.D. see Ridgway, M.S., 1951

Ménard, L., and Scott, M.E. Seasonal occurrence of *Cyathocotyle bushiensis* Khan, 1962 (Digenea: Cyathocotylidae) metacercariae in the intermediate host *Bithynia tentaculata* L. (Gastropoda: Prosobranchia), 2980

Meredith, J. see Black, K., 3084

Merrick, R.L. see Loughlin, T.R., 2079

Messier, F. Physical condition and blood physiology of wolves in relation to moose density, 91

Messier, F., Huot, J., Goudreault, F., and Tremblay, A.V. Reliability of blood parameters to assess the nutritional status of caribou, 2413

Mettrick, D.F. Parasitology: today and tomorrow, 812

Middlebrook, K., Emerson, C.W., Roff, J.C., and Lynn, D.H. Distribution and abundance of tintinnids in the Quoddy Region of the Bay of Fundy, 594

Mihok, S. Pregnancy test for meadow voles (Microtus pennsylvanicus) based on blood azurocyte counts, 2830

Mihok, S., Descôteaux, J.-P., Lawton, T., Lobreau, A., and Schwartz, B. The azurocyte: a new kind of leukocyte from wild voles (*Microtus*), 54

Millar, J.S., and Threadgill, D.A.L. The effect of captivity on reproduction and development in *Peromyscus maniculatus*, 1713

Millar, J.S. see Xia, X., 527

Millar, J.S. see Falk, J.W., 568

Millar, J.S. see Green, D.A., 2159

Millar, J.S. see Schieck, J.O., 2575

Millen, S.V. The nudibranch genus Adalaria, with a description of a new species from the northeastern Pacific, 2696

Miller, J. see Whitney, C.L., 1038

Miller, J.J. see Tomlin, A.D., 3048

Miller, L.K., and Werner, R.A. Cold-hardiness of adult and larval spruce beetles Dendroctonus rufipennis (Kirby) in interior Alaska, 2927

Mills, C.E. Revised classification of the genus *Euplokamis* Chun, 1880 (Ctenophora: Cydippida: *Euplokamidae* n. fam.) with a description of the new species *Euplokamis dunlapae*, 2661

Milne, W.R. see Corey, S., 2400

Minot, E.O. see Jamieson, I.G., 2567

Mochizuki, M. see Akuzawa, M., 946

Mommsen, T.P. see Suarez, R.K., 1869

Monteiro, P.J.C., Val, A.L., and Almeida-Val, V.M.F. de Biological aspects of Amazonian fishes. Hemoglobin, hematology, intraerythrocytic phosphates, and whole blood Bohr effect of Mylossoma duriventris, 1805

Montevecchi, W.A., and Piatt, J.F. Dehydration of seabird prey during transport to the colony: effects on wet weight energy densities, 2822

Moon, T.W., Brill, R.W., Hochachka, P.W., and Weber, J.- M. L-(+)-Lactate translocation into the red blood cells of the skipjack tuna (Katsuwonus pelamis), 2570

Moon, T.W. see Ballantyne, J.S., 1883

Morin, P.-P., Dodson, J.J., and Doré, F.Y. Heart rate conditioning to L-cysteine and other chemical stimuli in young Atlantic salmon (Salmo salar), 2710

Morisset, P. see Bérubé-Genest, F., 755

Morisset, P. see Genest, F.B., 3192

Morrison, C.M. see MacLean, S.A., 296

Morrison, P.E. see Campbell, F.C., 635

Moss, R. see Watson, A., 1043

Motta, P.J. A quantitative analysis of ferric iron in butterflyfish teeth (Chaetodontidae, Perciformes) and the relationship to feeding ecology, 106

Mousseau, T.A., and Collins, N.C. Polygyny and nest site abundance in the slimy sculpin (Cottus cognatus), 2827

Moyes, C.D. see Ballantyne, J.S., 1883

Muma, K.E., and Ankney, C.D. Variation in weight and composition of Red-winged Blackbird eggs, 605

Murchelano, R.A. see MacLean, S.A., 296

Murphy, R.W. see Sumida, S.S., 2886

Murphy, S.M., and Curatolo, J.A. Activity budgets and movement rates of caribou encountering pipelines, roads, and traffic in northern Alaska, 2483

Murray, C.B., and Beacham, T.D. The development of chinook (Oncorhynchus tshawytscha) and chum salmon (Oncorhynchus keta) embryos and alevins under varying temperature regimes, 2672

Murray, C.B. see Beacham, T.D., 96

Musgrove, K.A. see Pierce, C.L., 2066

Muzzall, P.M., Whelan, G.E., and Peebles, C.R. Parasites of burbot, Lota lota (family Gadidae), from the Ford River in the Upper Peninsula of Michigan. 2825

Myers, R.A. see Hutchings, J.A., 766

Nagler, J.J., Ruby, S.M., Idler, D.R., and So, Y.P. Serum phosphorotein phosphorus and calcium levels as reproductive indicators of vitellogenin in highly vitellogenic mature female and estradiol-injected immature rainbow trout (Salmo gairdneri), 2421

Nahorniak, C.S. see Peter, R.E., 987

Naich, M. see Alikhan, M.A., 1685

Nealis, V.G., and Smith, S.M. Interaction of Apanteles fumiferanae (Hymenoptera: Braconidae) and Nosema fumiferanae (Microsporidia) parasitizing spruce budworm, Choristoneura fumiferana (Lepidoptera: Tortricidae), 2047

Nehmadi, L. see Laden, S., 363

Nelson, D.L. see Fairey, D.T., 1853

Nelson, J.S. The next 25 years: vertebrate systematics, 779

Nemec, A.F.L., and Brinkhurst, R.O. A comparison of methodological approaches to the subfamilial classification of the Naididae (Oligochaeta), 691

Nettleship, D.N. see Verspoor, E., 247

Nettleship, D.N. see Birkhead, T.R., 1621

Nettleship, D.N. see Birkhead, T.R., 1630

Nettleship, D.N. see Birkhead, T.R., 1638

Nettleship, D.N. see Chapdelaine, G., 2922

Neville, C.M. see Youson, J.H., 647

Ng, S.F. see Tam, L.-W., 2177

Nicholson, D. see Percy-Cunningham, J., 2715

Nicola, K.J., and Cone, D.K. Description of *Gyrodactylus micropteri* n.sp. from *Micropterus dolomieui* in Lake Huron, with a review of the taxonomy of species of *Gyrodactylus* (Monogenea) parasitizing centrarchid fishes in North America, 1337

Niederleitner, J.F. Use of early successional, midsuccessional, and old-growth forests by breeding blue grouse (*Dendragapus obscurus fuliginosus*) on Hardwicke Island, British Columbia, 151

Noakes, D.L.G. see Grant, J.W.A., 270

Noakes, D.L.G. see Gunn, J.M., 2786

Noirot-Timothée, C. see Tano, Y., 1923

Nol, E., and Gaskin, D.E. Distribution and movements of Black Guillemots (Cepphus grylle) in coastal waters of the southwestern Bay of Fundy, Canada, 2682

Noltie, D.B., and Keenleyside, M.H.A. Breeding ecology, nest characteristics, and nest-site selection of stream- and lake-dwelling rock bass, Ambloplites rupestris (Rafinesque), 379

Nudds, T.D. see Schmiegelow, F.K.A., 3041

Nyhof, J.M., and McIver, S.B. Fine structure of ocelli of the larval black fly Simulium vittatum (Diptera: Simuliidae), 142

Odense, P.H. see Cone, D.K., 2426

O'Doherty, R., and Ring, R.A. Supercooling ability of aphid populations from British Columbia and the Canadian Arctic, 763

Oftedal, O.T. see Bowen, W.D., 1

O'Grady, G.E., and McIver, S.B. Fine structure of the compound eye of the black fly Simulium vittatum (Diptera: Simuliidae), 1454

O'Grady, G.E. see McIver, S.B., 3186

Opell, B.D. Changes in web-monitoring forces associated with web reduction in the spider family Uloboridae, 1028

Orr, G.L. see Gole, J.W.D., 1509

Orton, L.S., and Brodie, P.F. Engulfing mechanics of fin whales, 2898

Page, R.E. see Bergerud, A.T., 1597

Paloheimo, J.E. see Fahrig, L., 616

Paranjape, M.A. The seasonal cycles and vertical distribution of tintinnines in Bedford Basin, Nova Scotia, Canada, 41

Parker, K.L., and Wong, B. Raising black-tailed deer fawns at natural growth rates, 20

Parkhouse, W.S. see Weber, J.-M., 2513

Paszkowski, C.A. see Tonn, W.M., 862

Patenaude, R.P. see Bérubé-Genest, F., 755

Patenaude, R.P. see Genest, F.B., 3192

Payette, S. Recent porcupine expansion at tree line: a dendroecological analysis, 551

Peck, S.B. see Howden, H.F., 329

Peck, S.B. see Klimaszewski, J., 542

Peck, S.B. see Shear, W.A., 2640

- Peck, S.B. see Klimaszewski, J., 3032
- Peebles, C.R. see Muzzall, P.M., 2825
- Pehrson, Å. see Angerbjörn, A., 2163
- Pence, D.B. see Kinsella, J.M., 1294
- Pence, D.B. see Forrester, D.J., 2976
- Penney, R. Development of deep-water redfish (Sebastes mentella) larvae, with comparative notes on newly extruded Acadian redfish (Sebastes fasciatus) from the Flemish Cap, 1167
- Percy-Cunningham, J., Nicholson, D., and Retnakaran, A. The effect of ingested benzoylphenylurea on the ultrastructure of the cuticle deposited during the last larval instar of *Choristoneura fumiferana* Clem. (Lepidoptera: Tortricidae), 2715
- Perry, S.F., Malone, S., and Ewing, D. Hypercapnic acidosis in the rainbow trout (Salmo gairdneri). I. Branchial ionic fluxes and blood acid-base status, 888
- Perry, S.F., Malone, S., and Ewing, D. Hypercapnic acidosis in the rainbow trout (Jalmo gairdneri). II. Renal ionic fluxes, 896
- Peter, R.E., Sokolowska, M., Nahorniak, C.S., Rivier, J.E., and Vale, W.W. Comparison of [D-Arg<sup>6</sup>, Trp<sup>7</sup>, Leu<sup>8</sup>, Pro<sup>9</sup> NEt]-luteinizing hormone-releasing hormone (sGnRH-A) and [D-Ala<sup>6</sup>, Pro<sup>9</sup> NEt]-luteinizing hormone-releasing hormone (LHRH-A), in combination with pimozide, in stimulating gonadotropin release and ovulation in the goldfish, Carassius auratus, 987
- Peters, J.G., Peters, W.L., and Fink, T.J. Seasonal synchronization of emergence in *Dolania americana* (Ephemeroptera: Behningiidae), 3177 Peters, W.L. see Peters, J.G., 3177
- Peute, J. see Borg, B., 14
- Phillips, J. see Black, K., 3084
- Piatt, J.F., and McLagan, R.L. Common Murre (Uria aalge) attendance patterns at Cape St. Mary's, Newfoundland, 1530
- Piatt, J.F. see Montevecchi, W.A., 2822
- Pierce, C.L., Musgrove, K.A., Ritterpusch, J., and Carl, N.E. Littoral invertebrate abundance in bluegill spawning colonies and undisturbed areas of a small pond, 2066
- Plante, Y., Boag, P.T., and White, B.N. Nondestructive sampling of mitochondrial DNA from voles (Microtus), 175
- Plowright, C.M.S., and Plowright, R.C. Oversampling by great tits? A critique of Krebs, Kacelnik, and Taylor's (1978) "Test of optimal sampling by great tits," 1282
- Plowright, R.C. see Plowright, C.M.S., 1282
- Pocklington, P., and Tremblay, M.J. Faunal zones in the northwestern Atlantic based on polychaete distribution, 391
- Poulin, R., and FitzGerald, G.J. The potential of parasitism in the structuring of a salt marsh stickleback community, 2793
- Powell, D.W. see Stanhope, M.J., 2097
- Prescott, D.R.C. The effects of habitat density and the spatial distribution of food on the social behaviour of captive wintering American Tree Sparrows, 522
- Price, M.A. see Adamczewski, J.Z., 1149
- Rahal, E.M., Bishop, M.A., and Bennett, G.F. Avian Haemoproteidae. 25. The haemoproteids of the avian family Pycnonotidae (bulbuls), 322
- Raine, R.M. Winter food habits and foraging behaviour of fishers (Martes pennanti) and martens (Martes americana) in southeastern Manitoba, 745
- Rajapaksa, R., and Fernando, C.H. A note on Alona macronyx Daday, 1898 (Crustacea, Cladocera), a rare species from the Oriental Region, 216
- Rajapaksa, R., and Fernando, C.H. Redescription of Dunhevedia serrata Daday, 1898 (Cladocera, Chydoridae) and a description of Dunheve-dia americana sp.nov. from America, 432
- Rand, T.G., and Wiles, M. Salsuginus bermudae sp.n. (Monogenea: Ancyrocephalidae) from Fundulus bermudae Gunther and Gambusia affinis (Baird and Girard) in Bermuda, 1847
- Randall, D. The next 25 years: vertebrate physiology and biochemistry, 794
- Randall, D.J. see Iwama, G.W., 2466
- Rani, L. see Srivastav, A.K., 2111
- Rasmont, R. see Rozenfeld, F.M., 2594
- Ratcliffe, L.M., and Boag, P.T. Effects of colour bands on male competition and sexual attractiveness in zebra finches (Poephila guttata), 333
- Rattner, B.A., Haramis, G.M., Chu, D.S., Bunck, C.M. and Scanes, C.G. Growth and physiological condition of black ducks reared on acidified wetlands, 2953
- Rau, M.E. see Webber, R.A., 1340
- Rau, M.E. see Webber, R.A., 2346
- Rausch, R.L., Giddens, W.E., Jr., and Bridgens, J.G. Mesothelial tumors associated with larval taeniid cestodes maintained by intraperitoneal inoculation in rodents, 1755
- Ray, R.T. see Stinson, C.H., 2116
- Reduker, D.W., Duszynski, D.W., and Yates, T.L. Evolutionary relationships among *Eimeria* spp. (Apicomplexa) infecting cricetid rodents, 722
- Rehnberg, B.G., and Schreck, C.B. Chemosensory detection of predators by coho salmon (Oncorhynchus kisutch): behavioral reaction and the physiological stress response, 481
- Rehnberg, B.G., Smith, R.J.F., and Sloley, B.D. The reaction of pearl dace (Pisces, Cyprinidae) to alarm substance: time-course of behavior, brain amines, and stress physiology, 2916
- Reist, J.D., and Crossman, E.J. Genetic basis of variation in morphometric characters as implied by hybrids between subspecies of *Esox americanus* (Pisces: Esocidae), 1224

Reist, J.D., Bodaly, R.A., Fudge, R.J.P., Cash, K.J., and Stevens, T.V. External scarring of whitefish, Coregonus nasus and C. clupeaformis complex, from the western Northwest Territories, Canada, 1230

Rempel, R.S., and Harrison, A.D. Structural and functional composition of the community of Chironomidae (Diptera) in a Canadian Shield stream, 2545

Reschke, M. see Borg, B., 14

Retnakaran, A. see Percy-Cunningham, J., 2715

Revardel, J.-L., et Chebouki, F. Étude de la réponse à l'amputation des phalanges chez la souris : rôle morphogénétique des épithéliums, stimulation de la chondrogenèse, 3166

Revnaud, G. see Comec, J.-P., 403

Reynolds, J.D., and Scudder, G.G.E. Experimental evidence of the fundamental feeding niche in *Cenocorixa* species (Hemiptera: Corixidae), 967

Reynolds, J.D., and Scudder, G.G.E. Serological evidence of realized feeding niche in *Cenocorixa* species (Hemiptera: Corixidae) in sympatry and allopatry, 974

Ricci, N. see Riggio, D.C., 847

Rice, J. Behavioural responses of Common Puffins to kleptoparasitism by Herring Gulls, 339

Richards, K.W. Diversity, density, efficiency, and effectiveness of pollinators of cicer milkvetch, Astragalus cicer L., 2168

Richards, K.W. see Gamboa, G.J., 2893

Richards, L.J. Copper rockfish (Sebastes caurinus) and quillback rockfish (Sebastes maliger) habitat in the Strait of Georgia, British Columbia, 3188

Richardson, J.P.M., and Brooks, D.R. Polystomoidella mayesi n.sp. (Monogenea: Polystomatidae) from the urinary bladder of a Malaysian box turtle, Cuora amboinensis, 1567

Ridgway, M.S., and McPhail, J.D. Rival male effects on courtship behaviour in the Enos Lake species pair of sticklebacks (*Gasterosteus*), 1951 Ridgway, R.L. see Mallatt, J., 1956

Ridoux, V. Feeding association between seabirds and killer whales, Orcinus orca, around subantarctic Crozet Islands, 2113

Riga, E., and MacKinnon, B.M. Sex and aggregation attractants of Heligmosomoides polygyrus (Nematoda: Trichostrongylidae), 1842

Riggio, D.C., Ricci, N., Banchetti, R., and Seyfert, H.M. Cannibals of Oxytricha bifaria (Ciliata, Hypotrichida). Macro- and micro-nuclear DNA content, 847

Ring, R.A. see O'Doherty, R., 763

Ritterpusch, J. see Pierce, C.L., 2066

Rivier, J.E. see Peter, R.E., 987

Robertson, R.J. see Hurly, T.A., 1247

Robinette, J.D. see Fisher, R., 2085

Robinson, G.A. Lack of ethynylestradiol-induced stimulation of uranium deposition in the femora and tibiotarsi of male Japanese quail. Comparison with the responses to several other estrogens and estrogen-mimetic chemicals, 2658

Robitaille, J.-F., and Baron, G. Seasonal changes in the activity budget of captive ermine, Mustela erminea L., 2864

Roff, J.C. see Middlebrook, K., 594

Romero, M. see Duffy, L.K., 3197

Ronald, K. see Keiver, K.M., 1866

Ronald, K. see Terhune, J.M., 2119

Rongstad, O.J. see Hearn, B.J., 852

Rosser, B.W.C., George, J.C., and Frombach, S.K. Architecture of the pectoralis muscle of the Japanese quail (*Coturnix japonica*): histochemical and ultrastructural characterization, and distribution of muscle fiber types, 63

Rothstein, S.I. see Fleischer, R.C., 2724

Roughley, R.E., and Wolfe, G.W. Laccornellus (Coleoptera: Dytiscidae), a new hydroporine genus from austral South America, 1346

Roughley, R.E. see Beutel, R.G., 1898

Rowley, A.F. see Hunt, T.C., 1759

Roze, U. Denning and winter range of the porcupine, 981

Rozenfeld, F.M., Le Boulangé, E., and Rasmont, R. Urine marking by male bank voles (*Clethrionomys glareolus* Schreber, 1780; Microtidae, Rodentia) in relation to their social rank, 2594

Rubec, L.A., and Hogans, W.E. Redescription of *Clavellisa cordata* Wilson, 1915 (Copepoda: Lernaeopodidae) from anadromous clupeids in eastern Canada, 1559

Ruby, S.M. see Nagler, J.J., 2421

Rumpler, W.V., Allen, M.E., Ultrey, D.E., Earle, R.D., Schmitt, S.M., and Cooley, T.M. Body composition of while-tailed deer estimated by deuterium oxide dilution, 204

Ryan, M.A. see Yoo, B.Y., 9

Ryon, J. see Fentress, J.C., 760

Sage, M. see Knight, G.C., 199

Sampson, H.W. see Cannon, M.S., 1445

Samuel, W.M. see Drew, M.L., 2583

Sarnat, H.B. see Sarnat, N.B., 1135

Sarnat, N.B., et Sarnat, H.B. Répartition tissulaire d'acide ribonucléique chez la planaire *Dugesia tigrina*: étude histochimique au fluorochrome acridine-orange, 1135

Sarnita, A.S. see Dussart, B.H., 2731

Sarnita, A.S. see Defaye, D., 3144

Savard, J.-P.L. Causes and functions of brood amalgamation in Barrow's Goldeneye and Bufflehead, 1548

Scadding, S.R. Vitamin A inhibits amphibian tail regeneration, 457

Scanes, C.G. see Rattner, B.A., 2953

Scheibling, R.E. see Johnson, S.C., 129

Schieck, J.O., and Millar, J.S. Can removal areas be used to assess dispersal of red-backed voles?, 2575

Schmidt, J.M., and Smith, J.J.B. The measurement of exposed host volume by the parasitoid wasp *Trichogramma minutum* and the effects of wasp size, 2837

Schmidt, J.M. see Eymann, M., 602

Schmiegelow, F.K.A., and Nudds, T.D. Island biogeography of vertebrates in Georgian Bay Islands National Park, 3041

Schmitt, S.M. see Rumpler, W.V., 204

Schreck, C.B. see Rehnberg, B.G., 481

Schroeder, M.A. see Boag, D.A., 2430

Schwartz, B. see Mihok, S., 54

Scott, J.S. Helminth parasites of the alimentary tract of the hakes (Merluccius, Urophycis, Phycis: Teleostei) of the Scotian Shelf, 304

Scott, M.E. see Ménard, L., 2980

Scott, W.B. A new name for the Atlantic whitefish: Coregonus huntsmani to replace Coregonus canadensis, 1856

Scudder, G.G.E. The next 25 years: invertebrate systematics, 786

Scudder, G.G.E. see Reynolds, J.D., 967

Scudder, G.G.E. see Reynolds, J.D., 974

Scudder, G.G.E. see Lancaster, J., 1383

Sealy, S.G. see Guinan, D.M., 1587

Seamon, J.O. see Ferkin, M.H., 2931

Seyfert, H.M. see Riggio, D.C., 847

Semlitsch, R.D. see Stangel, P.W., 1554

Shaw, D.P. see Holsinger, J.R., 2202

Shear, W.A., and Peck, S.B. Millipeds (Diplopoda) of the Galapagos Islands, Ecuador, 2640

Sheridan, M. see Tamarin, R.H., 2039

Sherman, R.K., Lasenby, D.C., and Hollett, L. Influence of oxygen concentration on the distribution of Mysis relicta Lovén in a eutrophic temperate lake, 2646

Shinn, G.L. Two new species of umagillid flatworms from the 20-rayed antarctic crinoid Promachocrinus karguelensis, 1001

Shivers, R.R. see Wright, K.A., 771

Shostak, A.W., and Dick, T.A. Individual variability in reproductive success of *Triaenophorus crassus* Forel (Cestoda: Pseudophyllidea), with comments on use of the Lorenz curve and Gini coefficient, 2878

Shostak, A.W., Tompkins, J.C., and Dick, T.A. The identification and morphological variation of *Diplostomum baeri bucculentum* from two gull species, using metacercarial infections from least cisco from the Northwest Territories, 2287

Sillman, A.J. Extraction and characterization of the blue-sensitive visual pigment of the toad Bufo marinus, 884

Silverman, H., McNeil, J.W., and Dietz, T.H. Interaction of trace metals Zn, Cd, and Mn, with Ca concretions in the gills of freshwater unionid mussels. 828

Simmons, R., MacWhirter, B., Barnard, P., and Hansen, G.L. Erratum: The influence of microtines on polygyny, productivity, age, and provisioning of breeding Northern Harriers: a 5-year study, 2324

Simmons, R. see Barnard, P., 1942

Simon, T.P., and Faber, D.J. Descriptions of eggs, larvae, and early juveniles of the Iowa darter, Etheostoma exile (Girard), from Lac Heney, Quebec, 1264

Simpson, K., Smith, J.N.M., and Kelsall, J.P. Correlates and consequences of coloniality in great blue herons, 572

Singhal, R.N. see Davies, R.W., 681

Sivak, J.G., and Howland, H.C. Refractive state of the eye of the brown kiwi (Apteryx australis), 2833

Sloley, B.D. see Rehnberg, B.G., 2916

Smith, B.P. New species of Hydrachna (Acari: Hydrachnidia; Hydrachnidae) parasitic on water boatmen (Insecta: Hemiptera; Corixidae), 2630

Smith, C.J., and Cade, W.H. Relative fertility in hybridization experiments using three song types of the field crickets *Gryllus integer* and *Gryllus rubens*, 2390

Smith, J.J.B. see Schmidt, J.M., 2837

Smith; J.N.M. see Simpson, K., 572

Smith, P.C. see Barnard, P., 1942

Smith, R.J.F. see Hugie, D.M., 2057

Smith, R.J.F. see Rehnberg, B.G., 2916

Smith, R.S., and Kramer, D.L. Effects of a cestode (Schistocephalus sp.) on the response of ninespine sticklebacks (Pungitius pungitius) to aquatic hypoxia, 1862

Smith, S.M. see Nealis, V.G., 2047

Smyth, A.P. see Fleischer, R.C., 2724

Snow, D.H. see Weber, J.-M., 2513

Snyder, J.E., and Bissonette, J.A. Marten use of clear-cuttings and residual forest stands in western Newfoundland, 169

So, Y.P. see Nagler, J.J., 2421

Sokolowska, M. see Peter, R.E., 987

Sokolowski, M.B., and Turlings, T.C.J. Drosophila parasitoid-host interactions: vibrotaxis and ovipositor searching from the host's perspective, 461

Sonstegard, R.A. see Leatherland, J.F., 2780

Sopuck, L.G. see Jakimchuk, R.D., 534

Sorrano, P. see Elser, M.M., 2846

Sousa, M., and Azevedo, C. Silver staining of the cortical reaction in oocytes of Marthasterias glacialis (Echinodermata, Asteroidea), 2607

South, G.R. see Keats, D.W., 49

South, G.R. see Keats, D.W., 1515

Specht, H.B. see McEnroe, W.D., 455

Spence, J.R. see Lee, D.A., 1733

Spencer, C. see Stirling, I., 2311

Srivastav, A.K., Rani, L., and Swarup, K. Responses of serum calcium and phosphorus in the frog Rana tigrina to injection of various vitamin D analogs, 2111

Srivastava, M. see Haldar-Misra, C., 833

Stangel, P.W., and Semlitsch, R.D. Experimental analysis of predation on the diel vertical migrations of a larval salamander, 1554

Stanhope, M.J., Powell, D.W., and Hartwick, E.B. Population characteristics of the estuarine isopod *Gnorimosphaeroma insulare* in three contrasting habitats: sedge marsh, algal bed, and wood debris, 2097

Steele, D.H. see Keats, D.W., 49

Steele, D.H. see Keats, D.W., 1515

Steiger, G.H. see Calambokidis, J., 1391

Stephenson, L.A. see Hinch, S.G., 2436

Stevens, T.V. see Reist, J.D., 1230

Stewart, B.E. see Stewart, R.E.A., 769

Stewart, B.E. see Stewart, R.E.A., 1425

Stewart, R.E.A., and Stewart, B.E. Mandibular dental anomalies of Northwest Atlantic harp seals, Phoca groenlandica, 769

Stewart, R.E.A., and Stewart, B.E. Dental ontogeny of harp seals, Phoca groenlandica, 1425

Stinson, C.H., Lauthner, J., and Ray, R.T. The effect of weather conditions on the behavior of ospreys in northwestern Washington, 2116

Stirling, I., Calvert, W., and Spencer, C. Evidence of stereotyped underwater vocalizations of male Atlantic walruses (Odobenus rosmarus rosmarus), 2311

Stock, T.M., and Holmes, J.C. Host specificity and exchange of intestinal helminths among four species of grebes (Podicipedidae), 669 Stokes, P.M. see France, R.L., 3071

Storey, A.E. Characteristics of successful nest sites for marsh-nesting common terms, 1411

Storey, A.E. Adaptations for marsh nesting ir. common and Forster's terns, 1417

Storey, K.B. Investigations of the mechanisms of glycolytic control during hibernation, 3079

Suarez, R.K., and Mommsen, T.P. Gluconeogenesis in teleost fishes, 1869

Sumida, S.S., and Murphy, R.W. Form and function of the tooth crown structure in gekkonid lizards (Reptilia, Squamata, Gekkonidae), 2886

Swarup, K. see Srivastav, A.K., 2111

Tam, L.-W., and Ng, S.F. Stomatogenesis in Paramecium tetraurelia: genetics and phenotypes of mutants affecting the development of the oral apparatus, 2177

Tamarin, R.H., Adler, G.H., Sheridan, M., and Zwicker, K. Similarity of spring population densities of the island beach vole (*Microtus breweri*), 1972–1986, 2039

Tano, Y., François, J., et Noirot-Timothée, C. Métamorphose de l'intestin antérieur et de l'intestin moyen chez *Tenebrio molitor* L. (Insecte, Coléoptère), 1923

Taylor, B.L. see Calambokidis, J., 1391

Taylor, M.E., and Hannam, A.G. Tooth microwear and diet in the African Viverridae, 1696

Teather, K.L. see Weatherhead, P.J., 2354

Terhune, J.M., MacGowan, G., Underhill, L., and Ronald, K. Repetitive rates of harp seal underwater vocalizations, 2119

Testa, J.W. Long-term reproductive patterns and sighting bias in Weddell seals (Leptonychotes weddelli), 1091

Testa, J.W. Juvenile survival and recruitment in a population of Weddell seals (Leptonychotes weddellii) in McMurdo Sound, Antarctica, 2993

Theisen, B. see Zeiske, E., 2406

Thomas, V.G. see Barnes, G.G., 1812

Thomas, V.G. see Kehoe, F.P., 1818

**Thomopoulos, G.N.** An ultrastructural and histochemical study of the secretory granules in the salivary gland cells of the *Drosophila melano-gaster* species subgroup: phylogenetic relationships and evolutionary aspects, 950

Thompson, A.B., and Margolis, L. Descriptions of Neolebouria tinkerbellae n.sp. (Trematoda: Digenea: Opecoelidae) from experimental fish hosts, and of metacercariae of N. tinkerbellae and an unidentified digenean from Pandalus jordani (Decapoda: Penaeidae) from the Pacific coast of Canada, 188

Thomson, B. see Black, K., 3084

Thorne, E.T. see Harlow, H.J., 2021

Thorne, E.T. see Harlow, H.J., 2028

Threadgill, D.A.L. see Millar, J.S., 1713

Thuesen, E.V., and Bieri, R. Tooth structure and buccal pores in the chaetognath Flaccisagitta hexaptera and their relation to the capture of fish larvae and copepods, 181

Tomlin, A.D., and Miller, J.J. Composition of the soil fauna in forested and grassy plots at Delhi, Ontario, 3048

Tompkins, J.C. see Shostak, A.W., 2287

Tonn, W.M., and Paszkowski, C.A. Habitat use of the central mudminnow (*Umbra limi*) and yellow perch (*Perca flavescens*) in *Umbra-Perca* assemblages: the roles of competition, predation, and the abiotic environment, 862

Tremblay, A.V. see Messier, F., 2413

Tremblay, M.J. see Pocklington, P., 391

Trippel, E.A., and Harvey, H.H. Abundance, growth, and food supply of white suckers (Catostomus commersoni) in relation to lake morphometry and pH, 558

Trottier, T. see Carbyn, L.N., 2072

Tunnicliffe, V., and Jensen, R.G. Distribution and behaviour of the spider crab *Macroregonia macrochira* Sakai (Brachyura) around the hydrothermal vents of the northeast Pacific, 2443

Turlings, T.C.J. see Sokolowski, M.B., 461

Twente, J. see Twente, J.W., 1668

Twente, J.W., and Twente, J. Biological alarm clock arouses hibernating big brown bats, Eptesicus fuscus, 1668

Ullrey, D.E. see Rumpler, W.V., 204

Underhill, L. see Terhune, J.M., 2119

Val, A.L. see Monteiro, P.J.C., 1805

Vala, J.-C., Caillet, C., and Gasc, C. Biology and immature stages of Dichetophora obliterata, a snail-killing fly (Diptera: Sciomyzidae), 1675

Vale, W.W. see Peter, R.E., 987 van den Hurk, R. see Borg, B., 14

Vanderburgh, D.J., and Anderson, R.C. The relationship between nematodes of the genus Cosmocercoides Wilkie, 1930 (Nematoda: Cosmocercoidea) in toads (Bufo americanus) and slugs (Deroceras laeve), 1650

Vanderburgh, D.J., and Anderson, R.C. Seasonal changes in prevalence and intensity of *Cosmocercoides dukae* (Nematoda: Cosmocercoidea) in *Deroceras laeve* (Mollusca), 1662

Vanderburgh, D.J., and Anderson, R.C. Preliminary observations on seasonal changes in prevalence and intensity of *Cosmocercoides variabilis* (Nematoda: Cosmocercoidea) in *Bufo americanus* (Amphibia), 1666

van Frankenhuyzen, K., and Geen, G.H. Effects of low pH and nickel on growth and survival of the shredding caddisfly *Clistoronia magnifica* (Limnephilidae), 1729

van Waerebeke, D. see Adamson, M.L., 2755

van Zyll de Jong, C.G. A phylogenetic study of the Lutrinae (Carnivora; Mustelidae) using morphological data, 2536

Veenstra, R.S., Balon, E.K., and Flegler-Balon, C. Propanidid, a useful anaesthetic for studying blood circulation in early development of fish,

Verner, L. see Getz, L.L., 1317

Verspoor, E., Birkhead, T.R., and Nettleship, D.N. Incubation and brooding shift duration in the Common Murre, Uria aalge, 247

Vik, R. see Andersen, K., 2216

Vincent, B., Brassard, C., et Harvey, M. Variations de la croissance de la coquille, et de la structure d'âge du bivalve Macoma balthica (L.) dans une population intertidale de l'estuaire du Saint-Laurent (Québec), 1906

Viswanatha, T. see Jahagirdar, A.P., 2619

Vogel, D. see Wallace, J.B., 35

von Ende, C.N. see Elser, M.M., 2846

von Frenckell, B., and Barclay, R.M.R. Bat activity over calm and turbulent water, 219

Vovelle, J. see Gruet, Y., 837

Waiwood, K.G. see Macdonald, J.S., 499

Wallace, J.B., Cuffney, T.F., Lay, C.C., and Vogel, D. The influence of an ecosystem-level manipulation on prey consumption by a lotic dragonfly, 35

Walls, S.C., and Jaeger, R.G. Aggression and exploitation as mechanisms of competition in larval salamanders, 2938

Walter, D.E. Life history, trophic behavior, and description of *Gamasellodes vermivorax* n. sp. (Mesostigmata: Ascidae), a predator of nematodes and arthropods in semiarid grassland soils, 1689

Watson, A., and Moss, R. The mechanics of annual changes in ptarmigan numbers: a reply to Bergerud, Mossop, and Myrberget, 1043

Wayland, M., Batt, B.D.J., and Cowan, W.F. The effects of two postemergence herbicides on hatchability of chicken eggs, 1860

Weary, D.M., Lemon, R.E., and Date, E.M. Neighbor-stranger discrimination by song in the veery: a species with song repertoires, 1206

Weatherhead, P.J., and Teather, K.L. The paradox of age-related dominance in brown-headed cowbirds (Molothrus ater), 2354

Webb, R.A. Innervation of muscle in the cestode Hymenolepis microstoma, 928

Webber, R.A., Rau, M.E., and Lewis, D.J. The effects of *Plagiorchis noblei* (Trematoda: Plagiorchiidae) metacercariae on the behavior of *Aedes aegypti* larvae, 1340

Webber, R.A., Rau, M.E., and Lewis, D.J. The effects of *Plagiorchis noblei* (Trematoda: Plagiorchiidae) metacercariae on the susceptibility of *Aedes aegypti* larvae to predation by guppies (*Poecilia reticulata*) and meadow voles (*Microtus pennsylvanicus*), 2346

Weber, J.-M., Parkhouse, W.S., Dobson, G.P., Harman, J.C., Snow, D.H., and Hochachka, P.W. Onset of submaximal exercise in thoroughbred horses, 2513

Weber, J.-M. see Moon, T.W., 2570

Weisbart, M. The next 25 years: introduction / Les 25 prochaines années: introduction, 778

Weisbart, M. see Chakraborti, P.K., 2498

Werner, R.A. see Miller, L.K., 2927

Weseloh, R.M. Dispersal and survival of gypsy moth larvae, 1720

Westlake, G.F. see Gunn, J.M., 2786

Wheeler, T.A., and Beverley-Burton, M. Nasicola hogansi n.sp. (Monogenea: Capsalidae) from bluefin tuna, Thunnus thynnus (Osteichthyes: Scombridae), in the northwest Atlantic, 1947

Whelan, G.E. see Muzzall, P.M., 2825

Whitaker, D.J., and Kabata, Z. Early infection of Merluccius productus (Ayres) (Pisces: Teleostei) with Kudoa thyrsites (Gilchrist) (Myxozoa), 936

White, B.N. see Plante, Y., 175

White, R.G. see Fancy, S.G., 122

Whitehead, H., and Arnbom, T. Social organization of sperm whales off the Galapagos Islands, February-April 1985, 913

Whitney, C.L., and Miller, J. Song learning in the wood thrush, 1038

Whittier, J.M., Mason, R.T., Crews, D., and Licht, P. Role of light and temperature in the regulation of reproduction in the red-sided garter snake, Thamnophis sirtalis parietalis, 2090

Wiggins, G.B. see Beam, B.D., 1741

Wiggs, A.J. see Yoo, B.Y., 9

Wiles, M. see Rand, T.G., 1847

Williams, D.D. see Delbeek, J.C., 289

Williams, E.S. see Harlow, H.J., 2021

Williams, E.S. see Harlow, H.J., 2028

Wilson, M.L. see Adler, G.H., 2519

Withler, R.E. see Beacham, T.D., 1823

Wolfe, G.W. see Roughley, R.E., 1346

Wong, B. see Parker, K.L., 20

Wong, P.L., and Anderson, R.C. Development of Syncuaria squamata (Linstow, 1883) (Nematoda: Acuarioidea) in ostracods (Ostracoda) and double-crested cormorants (Phalacrocorax auritus auritus), 2524

Wong, P.L., and Anderson, R.C. New and described species of *Skrjabinoclava* Sobolev, 1943 (Nematoda: Acuarioidea) of the proventriculus of nearctic waders (Aves: Charadriiformes) with a review of the genus and a key to species, 2760

Wong, P.L., Bush, A.O., and Anderson, R.C. Redescription of Skrjabinocerca prima Shikhobalova, 1930 (Nematoda: Acuarioidea) from the American Avocet (Recurvirostra americana Gmelin), 1569

Woodworth-Lynas, C.B. see Bennett, G.F., 317

Woolhouse, M.E.J., and Harmsen, R. Just how unstable are agroecosystems?, 1577

Worthy, G.A.J. Metabolism and growth of young harp and grey seals, 1377

Wright, K.A., Hong, H., and Shivers, R.R. Lenticular junctions: a form of cell contact between hypodermal cells in the nematode *Trichinella* spiralis, 771

Wright, R.G. see Jenkins, K.J., 1397

Wrona, F.J., Linton, L.R., and Davies, R.W. Reproductive success and growth of two species of Erpobdellidae: the effect of water temperature, 1253

Wynne-Edwards, K.E., and Lisk, R.D. Behavioral interactions differentiate Djungarian (*Phodopus campbelli*) and Siberian (*Phodopus sungorus*) hamsters, 2229

Xia, X., and Millar, J.S. Morphological variation in deer mice in relation to sex and habitat, 527

Yagil, R. see Laden, S., 363

Yasuda, N. see Akuzawa, M., 946

Yates, T.L. see Reduker, D.W., 722

Ydenberg, R.C. see Dill, L.M., 223

Yoo, B.Y., Ryan, M.A., and Wiggs, A.J. Loss of protein from spermatozoa of Atlantic salmon (Salmo salar L.) because of cryopreservation, 9

Yoshida-Shaul, E. see Chant, D.A., 1770

Yoshida-Shaul, E. see Chant, D.A., 2574

Young, B.A. The cranial nerves of three species of sea snakes, 2236

Youson, J.H., and Neville, C.M. Deposition of aluminum in the gill epithelium of rainbow trout (Salmo gairdneri Richardson) subjected to sublethal concentrations of the metal, 647

Youson, J.H., and Cheung, R. Distribution of ferric iron in juveniles of the lamprey Petromyzon marinus L., 1833

Yuill, T.M. Diseases as components of mammalian ecosystems: mayhem and subtlety, 1061

Zacharda, M. New taxa of Rhagidiidae (Acari: Prostigmata) from Pyrenean caves, 2051

Zacharda, M. see Lindquist, E.E., 2149

Zaniolo, G., Burighel, P., and Martinucci, G. Ovulation and placentation in Botryllus schlosseri (Ascidiacea): an ultrastructural study, 1181

Zeiske, E., Theisen, B., and Gruber, S.H. Functional morphology of the olfactory organ of two carcharhinid shark species, 2406

Zeyl, C.W. see Bogart, J.P., 2188

Zucker, I. see Barnes, B.M., 3020

Zuk, M. Age determination of adult field crickets: methodology and field applications, 1564

Zwicker, K. see Tamarin, R.H., 2039

Zylberberg, L. see Fournié, J., 1935

